



CITY OF NORTH SALT LAKE COMMUNITY & ECONOMIC DEVELOPMENT

10 East Center Street, North Salt Lake, Utah 84054
(801) 335-8700
(801) 335-8719 Fax

NORTH SALT LAKE PLANNING COMMISSION NOTICE & AGENDA November 12, 2024 6:30 p.m.

Notice is given that the City of North Salt Lake Planning Commission will hold a regular meeting on the above noted date and time in the City Council Chambers located at 10 East Center Street.

- 1) Welcome and Introduction
 - 2) Public comments
 - 3) Consideration of a conditional use permit for Amani Agriculture and Prime 90 at 190 North Cutler Drive, Suites B and C, Bryon Tarbet, applicant (Administrative)
 - 4) Work Session: Pending Code Amendment
 - a. Conditional Use Standards and Land Use Table
 - 5) Report on City Council actions on items recommended by Planning Commission
 - 6) Approval of minutes:
 - a. 10/08/2024
- Adjourn

This meeting will be broadcasted live through the City's YouTube channel: <https://www.youtube.com/@nslutah4909/streams>.

Planning Commission meetings are open to the public. If you need special accommodation to participate in the meeting, please call (801) 335-8709 with at least 24 hours' notice. Meetings of the Planning Commission may be conducted via electronic means pursuant to Utah Code Ann. §52-4-207 as amended. In such circumstances, contact will be established and maintained via electronic means and the meetings will be conducted in accordance with the City's Electronic Meetings Policy.

Notice of Posting:

I, the duly appointed City Recorder for the City of North Salt Lake, certify that copies of the agenda for the Planning Commission meeting to be held **November 12, 2024** were posted on the Utah Public Notice Website: <https://www.utah.gov/pmnl/>, City's Website: <https://www.nslcity.org>, and at City Hall: 10 E. Center St. North Salt Lake.

Date Posted: November 7, 2024


Wendy Page, City Recorder





CITY OF NORTH SALT LAKE COMMUNITY & ECONOMIC DEVELOPMENT

10 East Center Street, North Salt Lake, Utah 84054
(801) 335-8700
(801) 335-8719 Fax

MEMORANDUM

TO: Planning Commission
FROM: Mackenzie Johnson, Planner
DATE: November 12, 2024
SUBJECT: Conditional use permit for Amani Agriculture and Prime 90 at 190 N Cutler Drive, Suite B & C

RECOMMENDATION

The Development Review Committee (DRC) recommends approval of the conditional use permit for Amani Agriculture and Prime 90 at 190 North Cutler Drive, Suites B and C with the following conditions:

1. The applicant complies with all applicable regulations related to the storage and quantity limits for associated chemicals, manufacturing materials, or other substances as determined by South Davis Metro Fire;
2. The applicant shall inform the City and South Davis Metro Fire Agency prior to any additional chemicals, materials, or other regulated substances are stored, used, or manufactured on site which are not listed in the Safety Data Sheets submitted as part of this application for inclusion or amendment of the conditional use permit, as applicable;
3. All manufacturing and storage activities shall be conducted indoors only;
4. The businesses shall not create any odors discernable from outside the premises from or related to the storage or use of chemicals, materials, or other substances used in the manufacturing processes;
5. Sufficient building modifications shall be made to the unit to ensure no discernable odor is emitted from the businesses, which may include but is not limited to additional ventilation, insulation, or sealing between neighboring units; and
6. The applicant permits City staff entry to the premises to inspect the unit and warehouse whenever reasonably requested to ensure compliance with the above listed conditions.

BACKGROUND

The City received a code enforcement complaint related to nuisance odors coming from Suites B and C at 190 North Cutler Drive during July 2024. The City investigation determined that the tenant, Bryon Tabet, was operating three businesses at the subject location without licensing. The businesses and descriptions of operations are as follows:

Amani Agriculture manufactures soil amendments designed to restore bacterial balance, enhance nutrient absorption, and reduce the need for traditional fertilizers and water usage for high crop yields. The product is created with nontoxic species of bacteria and minerals such as calcium and magnesium that are mixed into a dry powder and packaged. Equipment used for the

business includes a forklift, small cement mixer, ribbon blender designed for soil, and plastic pails for the finished product.

Prime 90 manufactures nutritional supplements for dogs, cats, livestock, and humans by mixing trace minerals such as cobalt, iron, calcium, magnesium, copper, boron, manganese, sulfur, iodine, chromium, zinc, selenium, and vanadium. The products also contain glucosamine which improves joint health and methionine which is an essential amino acid. The exact formulation varies by species of animal. The finished products are liquid or dried on a carrier such as rice bran. The manufacturing of the product includes dissolving the minerals into water and adding molasses for flavor. The liquid is then sprayed onto the rice bran and dried by convection in a cement mixer dedicated to making the product.

The CBD Doctors use the subject location for drop shipping and office work only. The manufacturing and packaging of the product is done off site.

The property of 190 North Cutler Drive has an existing four unit building and is zoned General Commercial (CG). According to business license records, Mountain West Lethal Precision and Trutech Laser Corp operate out of Suite A. Ideal Sciences and Wine Cellars operate out of Suite D. Amani Agriculture, Prime 90, and The CBD Doctors are operated out of Suites B and C. The property has 33 shared parking stalls. The applicant has been allocated 10 of those parking stalls which meets the minimum parking standard, as demonstrated below:

Land Use	City Code 10-6-5:	Sq. Ft.	Required
General office	1 stall per 250 sq. ft.	200	1
Manufacturing, processing, or assembly	1 stall per 1,000 sq. ft. or 1 stall per employee on highest shift, whichever is greater	500	1
On site warehouse storage	2 stalls per 1,000 sq. ft.	3500	7
Total Required Parking Stalls			9

The CBD Doctors has been classified as general office which is a permitted land use in the CG zone. Amani Agriculture and Prime 90 have been classified as miscellaneous manufacturing which is a staff determined use in the CG zone. Code section 10-11-2 provides that a staff determined use requires the Community Development Director to evaluate the proposed use and determine if the use is similar to other permitted uses, conditional uses, or prohibited uses in the zone. Due to the potential for nuisance odors related to business operations and the use of chemicals, the Community Development Director classified the use as a conditional use, requiring approval by the Planning Commission. The City received a complete conditional use permit application prior to the City Council’s formal initiation of the code amendment for conditional uses including the update of the land use table on August 15, 2024 and therefore is not subject to the provisions of State Code Section 10-9a-509 regarding pending ordinances and may be processed.

As part of the investigation related to the odor complaint and subsequent conditional use permit application, staff identified a possible source of the reported chlorine odor emitted from the units. During and after the COVID 19 pandemic, the applicant manufactured a product called SaniMax CLO2 (Chlorine Dioxide) sanitizing liquid at the Cutler Drive location. The manufacturing process utilized the chemical Sodium Chlorite. Staff believes that chemical or the end product SaniMax was likely the cause

of the reported chlorine smell observed in the neighboring unit. The applicant met with City staff and has agreed to discontinue the manufacture, sale or storage of SaniMax at this location and remove the item offered for sale from this location on all websites. In addition, the remaining chemical Sodium Chlorite and other materials associated with the manufacture of the product have been removed from the subject location due to the potentially hazardous and noxious odors that may be associated with the substance.

The applicant was required to submit quantities, storage plans, and Safety Data Sheets (SDS) to the City and South Davis Metro Fire for all chemicals/materials stored and used on the premises. Those documents are attached as an exhibit for the Planning Commissions review. The Fire Marshal has indicated that if a chemical/material is corrosive or flammable it must be stored in a special storage system/cabinet and may be limited in total quantity permitted on site. All other noncorrosive or nonflammable chemicals/materials which are under the maximum allowable quantity must be stored using good storage practices, as defined by code. If the maximum allowable quantity is exceeded, then the chemicals/materials must be stored in the special system or cabinet as determined and enforced by the Fire Department.

To become compliant with code, the applicant has submitted a business license application, conditional use permit application, and made efforts to seal the walls of Suites B and C as an attempt to reduce the potential impact to the neighboring unit from discernable odors which are created by the manufacturing and storage process. The applicant has also removed the chemicals/materials that are believed to have caused chlorine like odors that were originally reported. The City has not received any new complaints regarding odors since.

The City Attorney has recommended to the Planning Commission that if the Conditional Use Permit is approved, it include the following conditions:

1. The businesses shall not create any discernable odors from or related to the storage, manufacturing, or use of chemicals, materials, or other substances; and
2. The applicant permits City staff entry to the premises to inspect the unit and warehouse whenever requested to ensure compliance with the conditions of approval.

This conditional use permit is subject to the requirements of the City's Land Use Ordinance (10-7-1-4), requiring that every Conditional Use Permit shall expire by limitation and become null and void if the work authorized by such permit has not commenced within one (1) year, or is not completed within two (2) years from date of issue.

POSSIBLE MOTION

I move that the Planning Commission approve the conditional use permit for Amani Agriculture and Prime 90 at 190 North Cutler Drive, Suites B and C with the following conditions:

1. The applicant complies with all applicable regulations related to the storage and quantity limits for associated chemicals, manufacturing materials, or other substances as determined by South Davis Metro Fire;
2. The applicant shall inform the City and South Davis Metro Fire Agency prior to any additional chemicals, materials, or other regulated substances are stored, used, or manufactured on site which are not listed in the Safety Data Sheets submitted as part of this application for inclusion or amendment of the conditional use permit, as applicable;


3. All manufacturing and storage activities shall be conducted indoors only;
4. The businesses shall not create any discernable odors from or related to the storage or use of chemicals, materials, or other substances used in the manufacturing processes;
5. Sufficient building modifications shall be made to the unit to ensure no discernable odor is emitted from the businesses, which may include but is not limited to additional ventilation, insulation, or sealing between neighboring units; and
6. The applicant permits City staff entry to the premises to inspect the unit and warehouse whenever requested to ensure compliance with the above listed conditions.

Attachments:

- 1) Zoning Map
- 2) Aerial Map
- 3) Safety Data Sheets



Conditional Use Permit – Amani Agriculture 190 North Cutler Drive, Ste B & C Zoning Map




Google Earth

Image © 2024, Airbus



Conditional Use Permit – Amani Agriculture
190 North Cutler Drive, Ste B & C
Aerial Map



Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**
Version: **GHS 5.0 en**
Replaces version of: 2021-10-12
Version: (GHS 4)

date of compilation: 2016-07-01
Revision: 2024-03-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Boric acid ≥99,5 %, Ph.Eur., USP, BP**

Article number P010

CAS number 10043-35-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use

Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD

For full text of abbreviations: see SECTION 16

2.2 Label elements

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

Labelling

Signal word

Danger

Pictograms

GHS08



Hazard statements

H360FD May damage fertility. May damage the unborn child

Precautionary statements

Precautionary statements - prevention

P202 Do not handle until all safety precautions have been read and understood
P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P308+P313 IF exposed or concerned: Get medical advice/attention

Precautionary statements - storage

P405 Store locked up

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

The substance has an endocrine disrupting potential.


SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Boric acid
Molecular formula	H ₃ BO ₃
Molar mass	61.83 g/mol
CAS No	10043-35-3

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [mg/m³]	STEL [mg/m³]	Ceiling-C [mg/m³]	Notation	Source
AU	nuisance dusts		WES	10			i	WES

Notation

- Ceiling-C Ceiling value is a limit value above which exposure should not occur
- i Inhalable fraction
- STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	8.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	2.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	2.9 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	5.7 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid $\geq 99,5$ %, Ph.Eur., USP, BP

article number: **P010**

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder, crystalline
Colour	white
Odour	odourless
Melting point/freezing point	>100 °C (slow decomposition)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid $\geq 99,5\%$, Ph.Eur., USP, BP

article number: **P010**

Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	$>100\text{ }^{\circ}\text{C}$
pH (value)	3.8 – 4.8 (in aqueous solution: 30 g/l , $20\text{ }^{\circ}\text{C}$)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	49.2 g/l at $20\text{ }^{\circ}\text{C}$ (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	-1.09 (pH value: 7.5, $22\text{ }^{\circ}\text{C}$) (ECHA)
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	1.489 g/cm^3 at $23\text{ }^{\circ}\text{C}$
Relative vapour density	Information on this property is not available.
Bulk density	$400 - 600\text{ kg/m}^3$
Particle characteristics	No data available.
<u>Other safety parameters</u>	
Oxidising properties	none
9.2 Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: $>100\text{ }^{\circ}\text{C}$.



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3,450 mg/kg	rat		ECHA
dermal	LD50	>2,000 mg/kg	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

Data are not available.

- **If in eyes**

Data are not available.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid $\geq 99,5$ %, Ph.Eur., USP, BP

article number: **P010**

- **If inhaled**

Data are not available.

- **If on skin**

Data are not available.

- **Other information**

none

11.2 Endocrine disrupting properties

This substance is known as an "endocrine disruptor".

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1.09 (pH value: 7.5, 22 °C) (ECHA)
---------------------------	-------------------------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

This substance is known as an "endocrine disruptor".

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

- 14.1 UN number** not subject to transport regulations
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** not assigned
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport information National regulations Additional information (UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (Australia)

Australian Inventory of Chemical Substances (AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

Country	Inventory	Status
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information


Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.3		Endocrine disrupting properties: The substance has an endocrine disrupting potential.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Boric acid ≥99,5 %, Ph.Eur., USP, BP

article number: **P010**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H360FD	May damage fertility. May damage the unborn child.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.8
Revision Date 16.08.2023
Print Date 15.10.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Calcium carbonate

Product Number : C4830

Brand : Sigma-Aldrich

REACH No. : 01-2119486795-18-xxxx

CAS-No. : 471-34-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

2.2 Label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required



2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	CCaO ₃
Molecular weight	:	100,09 g/mol
CAS-No.	:	471-34-1
EC-No.	:	207-439-9

No components need to be disclosed according to the applicable regulations.

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Calcium oxide

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

none

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

No special precautionary measures necessary.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

hygroscopic

Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

No special precautionary measures necessary.



SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

- | | |
|---|--|
| a) Physical state | powder |
| b) Color | white |
| c) Odor | No data available |
| d) Melting point/freezing point | Melting point/freezing point: 800 °C - Decomposes on heating. |
| e) Initial boiling point and boiling range | 800 °C |
| f) Flammability (solid, gas) | The product is not flammable. - Test N.1: Test method for readily combustible solids |
| g) Upper/lower flammability or explosive limits | No data available |
| h) Flash point | Not applicable |
| i) Autoignition temperature | not auto-flammable |
| j) Decomposition temperature | No data available |
| k) pH | 8,0 |
| l) Viscosity | Viscosity, kinematic: No data available
Viscosity, dynamic: No data available |
| m) Water solubility | 0,017 g/l at 20 °C - OECD Test Guideline 105- slightly soluble |
| n) Partition coefficient: n-octanol/water | Not applicable for inorganic substances |
| o) Vapor pressure | No data available |
| p) Density | 2,93 g/cm ³ at 25 °C - lit. |
| Relative density | No data available |
| q) Relative vapor density | No data available |
| r) Particle characteristics | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | none |

9.2 Other safety information

No data available



SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

acids

carbon dioxide

ammonium compounds

acidic

salts

acidic

Exothermic reaction with:

Fluorine

Aluminum

magnesium

10.4 Conditions to avoid

Exposure to moisture may affect product quality.

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2.000 mg/kg

(OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 3 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 15 min

(OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: No eye irritation - 4 h



(OECD Test Guideline 437)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 48 Days - NOAEL (No observed adverse effect level) - 1.000 mg/kg

RTECS: FF9335000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.



Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - <i>Daphnia magna</i> (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 14 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 90 % - Readily biodegradable. (OECD Test Guideline 301B)
------------------	---

12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No ecological problems are to be expected when the product is handled and used with due care and attention.



SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the



information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- C4830

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 11



SAFETY DATA SHEET

Preparation Date: No data available

Revision Date: 04/06/2015

Revision Number: G1

Product identifier

Product code: C1254
Product Name: CHROMIUM PICOLINATE, POWDER

Other means of identification

Synonyms: Chromium 2-pyridinecarboxylate
Chromium(III) trispicolinate
Chromium, tris(picolinato)-
Chromium, tris(2-pyridinecarboxylato-N(1),O(2))- (9CI)
Picolinic acid, chromium salt
2-Pyridinecarboxylic acid, chromium salt

CAS #: 14639-25-9
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Label elements

Warning**Hazard statements**

Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

**Hazards not otherwise classified (HNOC)**

Not Applicable

Other hazards

Not available

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	Trade Secret
Chromium Picolinate 14639-25-9	14639-25-9	100	*

4. FIRST AID MEASURES**First aid measures****General Advice:**

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

4. FIRST AID MEASURES

Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops. If skin irritation persists, call a physician.
Eye Contact:	Flush eye with water for 15 minutes. Get medical attention. If symptoms persist, call a physician.
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Consult a physician.
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. Causes skin irritation. May cause irritation of respiratory tract.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon oxides. Nitrogen oxides. Chromium oxides

Specific hazards: May be combustible at high temperatures

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition. All equipment used when handling the product must be grounded.

Environmental precautions Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Cover with plastic sheet to prevent spreading. Use clean non-sparking tools to collect absorbed material..

Methods for cleaning up Use appropriate tools to put the spilled solid in a suitable waste disposal container. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. All equipment used when handling the product must be grounded. Avoid dust formation. Keep away from incompatible materials. Remove all sources of ignition.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not ingest. Do not smoke. Handle in accordance with good industrial hygiene and safety practice. Keep away from combustible material. Keep away from heat and sources of ignition. Use only in well-ventilated areas.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Store in a segregated and approved area.

Incompatible Materials:

Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	OSHA	NIOSH	ACGIH	AIHA WHEEL
Chromium Picolinate - 14639-25-9	None	None	None	None

Canada

Components	Alberta	British Columbia	Ontario	Quebec
Chromium Picolinate - 14639-25-9	None	None	None	None

Australia and Mexico

Components	Australia	Mexico

Chromium Picolinate 14639-25-9	None	None
-----------------------------------	------	------

Appropriate engineering controls

Engineering measures to reduce exposure: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses with side-shields.

Skin and body protection: Long sleeved clothing. Gloves.

Respiratory protection: Effective dust mask. Be sure to use an approved/certified respirator or equivalent..

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid.	Appearance: Powder.	Color: Brownish-red.
Odor: Odorless.	Taste No information available	Molecular/Formula weight: 418.31 g/mol
Formula: C18-H12-N3-O6-Ct	Flash point (°C): No data available	Flashpoint (°C/°F): No information available.
Flash Point Tested according to: Not available	Lower Explosion Limit (%): No information available	Upper Explosion Limit (%): No information available
Autoignition Temperature (°C/°F): No information available	pH: No information available	Melting point/range(°C/°F): >300°C/ >572°F
Boiling point/range(°C/°F): No information available	Decomposition temperature(°C/°F): No information available	Bulk density: No information available
Specific gravity: No information available	Vapor pressure @ 20°C (kPa): No information available	Density (g/cm3): No information available
Evaporation rate: No information available	Vapor density: 14.44	VOC content (g/L): No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: No information available	

10. STABILITY AND REACTIVITY

Reactivity

Reactive with oxidizing agents

Chemical stability

Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Ignition sources. Incompatible materials.

Incompatible Materials: Oxidizing agents.

Hazardous decomposition products: Carbon oxides. Nitrogen oxides (NOx). Chromium oxides.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Ingestion. Inhalation. Eyes.

Acute Toxicity

Component Information

Chromium Picolinate - 14639-25-9

LD50/oral/rat = No information available
LD50/oral/mouse = No information available
LD50/dermal/rat = No information available
LD50/dermal/rabbit = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =
Value - Acute Tox Oral = No information available

LD50/dermal/rabbit
VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

Product code: C1254

Product name: CHROMIUM
PICOLINATE, POWDER

VALUE-Vapor = No information available
 VALUE - Gas = No information available
 VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.
Eye Contact: May cause eye irritation.
Inhalation May be harmful if inhaled.
Ingestion May be harmful if swallowed.
Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available
Sensitization: No information available
Mutagenic Effects: No information available
Carcinogenic effects: Not considered carcinogenic

Components	ACGIH - Carcinogens	IARC	NTP	OSHA HCS - Carcinogens	Australia - Prohibited Carcinogenic Substances	Australia - Notifiable Carcinogenic Substances
Chromium Picolinate	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

Reproductive toxicity No data is available

Reproductive Effects: No information available
Developmental Effects: No information available
Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available
STOT - repeated exposure No information available
Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.
Persistence and degradability: No information available
Bioaccumulative potential: No information available
Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Components	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Chromium Picolinate	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: None
ERG No: No information available
Marine Pollutant: No data available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant: No information available

14. TRANSPORT INFORMATION

MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Components	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
<i>Chromium Picolinate</i>	Not Listed	Not present	Not present	Not present	Not present	Not present	Not present

U.S. Regulations

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Chromium Picolinate	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting <i>de minimis</i>
<i>Chromium Picolinate</i>	None	None	None	None	None

U.S. TSCA

Components	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Chromium Picolinate	Not Applicable	Not Applicable

Canada**WHMIS hazard class:**

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	Canada (DSL)	Canada (NDSL)
Chromium Picolinate	Not Listed	Not Listed

Components	CEPA Schedule I - Toxic Substances	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Chromium Picolinate	Not listed	Not listed

EU Classification**R-phrase(s)**

not determined (not applicable)

R36/38 - Irritating to eyes and skin.

S -phrase(s)

none

Components	Classification	Concentration Limits:	Safety Phrases
Chromium Picolinate		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xi - Irritant.

Xi



16. OTHER INFORMATION

Revision Date: 04/06/2015
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 1 of 7

Citric Acid, Anhydrous,

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Citric Acid, Anhydrous,

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25255

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Irritant
Eye irritation, category 2A

Eye Irritation 2

Signal word :Warning

Hazard statements:

Causes serious eye irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Wash ... thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

If eye irritation persists get medical advice/attention

Combustible Dust Hazard: :

May form combustible dust concentrations in air (during processing).

Other Non-GHS Classification:

WHMIS


Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 2 of 7

Citric Acid, Anhydrous,



NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 77-92-9	Citric Acid, Anhydrous, ACS	100 %
Percentages are by weight		

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact: Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation, discomfort or vomiting persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 3 of 7

Citric Acid, Anhydrous,

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed.

SECTION 8 : Exposure controls/personal protection



Control Parameters:

No applicable occupational exposure limits

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 4 of 7

Citric Acid, Anhydrous,

- Appropriate Engineering controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
- Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.
- Protection of skin:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- Eye protection:** Safety glasses with side shields or goggles.
- General hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	White solid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	Soluble in water
Boiling point/Boiling range:	Not determined	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid,gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density: Not determined			

SECTION 10 : Stability and reactivity

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 5 of 7

Citric Acid, Anhydrous,

Reactivity:

Chemical stability: No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Conditions to avoid: Store away from oxidizing agents, strong acids or bases.

Incompatible materials: Oxidizers, sulfuric and nitric acid. Strong acids. Strong bases.

Hazardous decomposition products: Oxides of carbon and irritating and toxic gases/fumes. Carbon oxides (CO, CO₂).

SECTION 11 : Toxicological information

Acute Toxicity:		
Oral:	6730 mg/kg	LD50 orl-rat:
Chronic Toxicity: No additional information.		
Corrosion Irritation:		
Ocular:	Section 2	Classified as an eye irritant
Sensitization:	No additional information.	
Single Target Organ (STOT):	No additional information.	
Numerical Measures:	No additional information.	
Carcinogenicity:	No additional information.	
Mutagenicity:	No additional information.	
Reproductive Toxicity:	No additional information.	

SECTION 12 : Ecological information

Ecotoxicity

Fish: LC50 (96h) L. macrochius: 1516 mg/L

Persistence and degradability: Readily degradable in the environment.

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14 : Transport information

UN-Number

Not Regulated.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 6 of 7

Citric Acid, Anhydrous,

UN proper shipping name

Not Regulated.

Transport hazard class(es)

Packing group: Not Regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

77-92-9 Citric acid, anhydrous

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.14.2014

Page 7 of 7

Citric Acid, Anhydrous,

contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date : 12.14.2014

Last updated : 03.19.2015

SAFETY DATA SHEET

Creation Date 02-Sep-1997

Revision Date 27-Mar-2024

Revision Number 3

1. Identification

Product Name Cobalt(II) carbonate
Cat No. : 42745
CAS No 513-79-1
Synonyms No information available
Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B

Label Elements

Signal Word
Danger

Hazard Statements

Harmful if swallowed
 May cause an allergic skin reaction
 May cause allergy or asthma symptoms or breathing difficulties if inhaled
 Suspected of causing genetic defects
 May cause cancer by inhalation
 May damage fertility



Precautionary Statements

Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Avoid breathing dust/fume/gas/mist/vapors/spray
 In case of inadequate ventilation wear respiratory protection
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing
 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cobalt (II) Carbonate	513-79-1	100

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	If not breathing, give artificial respiration. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects	None reasonably foreseeable. . May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point	Not applicable
Method -	No information available
Autoignition Temperature	No information available
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Cobalt oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health 2	Flammability 0	Instability 0	Physical hazards N/A
--------------------	--------------------------	-------------------------	--------------------------------

6. Accidental release measures

Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Up Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

7. Handling and storage

Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on
-----------------	--

clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Cobalt (II) Carbonate	TWA: 0.02 mg/m ³			TWA: 0.02 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Solid
Appearance	Light red
Odor	Odorless
Odor Threshold	No information available
pH	No information available
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	CO ₃ Co

Molecular Weight 118.94

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Avoid dust formation.

Incompatible Materials Oxidizing agent

Hazardous Decomposition Products Cobalt oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt (II) Carbonate	LD50 = 640 mg/kg (Rat)	Not listed	LC50 > 5.08 mg/L (Rat) 4 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cobalt (II) Carbonate	513-79-1	Group 2B	Reasonably Anticipated	A3	X	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects Possible risk of impaired fertility.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

delayed	of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability	Insoluble in water May persist
Bioaccumulation/ Accumulation	No information available.
Mobility	Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
------------------------	---

14. Transport information

DOT

UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Technical Name	Cobalt (II) Carbonate
Hazard Class	9
Packing Group	III

TDG

UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III

IATA

UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III

IMDG/IMO

UN-No	UN3077
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.
Hazard Class	9
Packing Group	III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cobalt (II) Carbonate	513-79-1	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cobalt (II) Carbonate	513-79-1	X	-	208-169-4	X	X	X	X	X	KE-06079

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting thresholds
Cobalt (II) Carbonate	513-79-1	100	0.1 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Cobalt (II) Carbonate	X		-

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cobalt (II) Carbonate	-	X	X	X	-

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cobalt (II) Carbonate	513-79-1	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 208-169-4 - Carcinogenic, Article 57a; Toxic for reproduction, Article 57c

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cobalt (II) Carbonate	513-79-1	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cobalt (II) Carbonate	513-79-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Health, Safety and Environmental Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

Creation Date 02-Sep-1997
Revision Date 27-Mar-2024
Print Date 27-Mar-2024
Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



Copper(II) Sulfate Pentahydrate Safety Data Sheet (SDS)

SDS #: 285

Revision Date: September 30, 2015

[Save SDS to Your Library](#)

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Copper(II) Sulfate Pentahydrate

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

Chemtrec Emergency Phone Number: (800) 424-9682

Signal Word

DANGER

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Acute toxicity, oral (Category 3). Toxic if swallowed (H301). Do not eat, drink or smoke when using this product (P270).

Hazard class: Skin and serious eye damage, corrosion or irritation (Category 2, 2A). Causes skin and serious eye irritation (H315+H319).

Pictograms



SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Copper(II) sulfate, pentahydrate	7758-99-8	CuSO ₄ •5H ₂ O	249.69	
Synonyms: Cupric sulfate; Blue vitriol; Chalcanthite				

SECTION 4 — FIRST AID MEASURES

If exposed or concerned: Get medical advice or attention (P308+P313)

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists eyes:** Get medical advice or attention (P337+P313).

If on skin: Rinse cautiously with water for several minutes (P351).

If swallowed: Rinse mouth. Immediately call a POISON CENTER or physician (P301+P330+P310).

SECTION 5 — FIRE FIGHTING MEASURES

Nonflammable, noncombustible solid.

However, sulfur trioxide can be produced at temperatures above 653 °C.

In case of fire: Use a tri-class dry chemical fire extinguisher.

NFPA Code

H: 2

F: 0

R: 0

© 2024 Flinn Scientific, Inc. All Rights Reserved.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Sweep up the spill, place in a sealed bag or container, and dispose. Ventilate area and wash spill site after material pickup is complete. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Inorganic #2. Store with acetates, halides, sulfates, sulfites, thiosulfates and phosphates. Efflorescent. Protect from air. Store in a Flinn Chem-Saf™ bag.

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264).

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Blue, crystalline powder, granules or larger crystals. Odorless.

Soluble: Water and methyl alcohol. Slightly in alcohol.

Specific gravity: 2.28

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with finely powdered metals and heat. Will corrode steel.

Shelf life: Fair, slowly effloresces in air. See Section 7 for further information.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Toxic, severe eye irritant, and gastrointestinal disturbances.

Chronic effects: Possible mutagen.

Target organs: Liver, kidneys, and blood.

ORL-RAT LD₅₀: 300 mg/kg

IHL-RAT LC₅₀: N.A.

SKN-RBT LD₅₀: N.A.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #26a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Environmentally Hazardous substances, solid, n.o.s. (copper sulphate pentahydrate). Hazard class: 9. UN number: 3077. Packing group III.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (231-847-6).

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: September 30, 2015

© 2024 Flinn Scientific, Inc. All Rights Reserved.

[Return back](#)



Section 1. Product and Company Identification

Product Name Glucosamine Sulfate 2KCL
CAS Number 38899-05-7

Parchem - fine & specialty chemicals
415 Huguenot Street
New Rochelle, NY 10801
☎ (914) 654-6800 📠 (914) 654-6899
🌐 parchem.com ✉ info@parchem.com

EMERGENCY RESPONSE NUMBER
CHEMTEL
Toll Free US & Canada: 1 (800) 255-3924
All other Origins: 1 (813) 248-0585
Collect Calls Accepted

Section 2. Hazards Identification

Classification of the substance or mixture

OSHA Hazards: No known OSHA hazards

HMIS Classification

Health Hazard: 0
Flammability: 0
Physical hazards: 0

NFPA Rating

Health Hazard: 0
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Ingestion May be harmful if swallowed.

Section 3. Composition / Information on Ingredients

Common Name Glucosamine Sulfate 2KCL
Synonym(s) 2-Deoxy-2-sulfamino-D-glucopyranose; D-Glucosamine 2-sulfate sodium salt
Formula $C_6H_{12}NNaO_8S$
CAS Number 38899-05-7

Section 4. First Aid Measures

If inhaled: If breathed in, move person into fresh air. If not breathing give artificial respiration

In case of skin contact: Wash off with soap and plenty of water.

In case of eye contact: Flush eyes with water as a precaution.



If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water.

Section 5. Firefighting Measures

Flammable properties: No data available

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters: Wear self contained breathing apparatus for fire fighting if necessary.

Section 6. Accidental Release Measures

Personal precautions: Avoid dust formation.

Environmental precautions: Do not let product enter drains.

Methods for cleaning up: Sweep up and shovel. Keep in suitable, closed containers for disposal.

Section 7. Handling and Storage

Handling: Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Storage: Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: 2 - 8 °C

Section 8. Exposure Controls / Personal Protection

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection: Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection: For prolonged or repeated contact use protective gloves.

Eye protection: Safety glasses

Hygiene measures: General industrial hygiene practice.

Section 9. Physical and Chemical Properties

Appearance

Form: Solid



Section 10. Stability and Reactivity

Storage stability: Stable under recommended storage conditions.

Materials to avoid: Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NO_x), Sulphur oxides, Sodium/sodium oxides

Section 11. Toxicological Information

Acute toxicity: No data available

Irritation and corrosion: No data available

Sensitisation: No data available

Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Section 12. Ecological Information

Elimination information (persistence and degradability): No data available

Ecotoxicity effects: No data available

Further information on ecology: No data available

Section 13. Disposal Considerations

Waste Treatment Methods: Dispose of product and contaminated packaging in accordance with all local, state, and federal environmental control regulations.

Section 14. Transport Information

DOT (US): Not dangerous goods

IMDG: Not dangerous goods



IATA: Not dangerous goods

Section 15. Regulatory Information

OSHA Hazards

No known OSHA hazards

TSCA Status

Not On TSCA Inventory

D-Glucosamine 2-sulfate sodium salt CAS-No. 38899-05-7

DSL Status

This product contains the following components that are not on the Canadian DSL nor NDSL lists.

D-Glucosamine 2-sulfate sodium salt CAS-No. 38899-05-7

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No Components Listed

Pennsylvania Right To Know Components

D-Glucosamine 2-sulfate sodium salt CAS-No. 38899-05-7 Revision Date

New Jersey Right To Know Components

D-Glucosamine 2-sulfate sodium salt CAS-No. 38899-05-7 Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.



Section 16. Other Information

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

REVISION DATE: 9/24/2015

SAFETY DATA SHEET

Creation Date 18-Oct-2010

Revision Date 24-Dec-2021

Revision Number 4

1. Identification

Product Name Humic acid, sodium salt

Cat No. : AC120860000; AC120860010; AC120860050; AC120861000

CAS No 68131-04-4

Synonyms Huminsaure natrium; Sodium Humate.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	
Combustible dust	Yes

Label Elements

Signal Word

Warning

Hazard Statements

May form combustible dust concentrations in air

Causes skin irritation
 Causes serious eye irritation
 May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention

Storage

Store in a well-ventilated place. Keep container tightly closed
 Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Humic acids, sodium salts	68131-04-4	100

4. First-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.
Ingestion	Clean mouth with water. Get medical attention.
Most important symptoms and effects	No information available.
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available
Method - No information available

Autoignition Temperature No information available

Explosion Limits

Upper No data available

Lower No data available

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
2

Flammability
1

Instability
0

Physical hazards
N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up Sweep up and shovel into suitable containers for disposal. Do not let this chemical enter the environment.

7. Handling and storage

Handling Avoid contact with skin and eyes. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials. Strong oxidizing agents. Strong bases.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Powder Solid
Appearance	Black
Odor	No information available
Odor Threshold	No information available
pH	No information available
Melting Point/Range	> 300 °C / 572 °F
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products.
Incompatible Materials	Strong oxidizing agents, Strong bases
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information No acute toxicity information is available for this product

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Humic acids, sodium salts	Not listed	LD50 > 2000 mg/kg (Rat)	Not listed

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	No information available
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Humic acids, sodium salts	68131-04-4	Not listed				

Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure	Respiratory system
STOT - repeated exposure	None known
Aspiration hazard	No information available
Symptoms / effects, both acute and delayed	No information available
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Humic acids, sodium salts	Not listed	LC50: > 128 mg/L, 96h static (Poecilia reticulata)	Not listed	Not listed

Persistence and Degradability	No information available
Bioaccumulation/ Accumulation	No information available.
Mobility	No information available.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags

Humic acids, sodium salts	68131-04-4	X	ACTIVE	XU
---------------------------	------------	---	--------	----

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

'-' - Not Listed

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B))

X - Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Humic acids, sodium salts	68131-04-4	X	-	268-608-0	X	-		X	X	KE-19977

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of
-----------	--------	----------	--------------------	-----------------	----------------

			Pollutant	Potential	Hazardous Substances (RoHS)
Humic acids, sodium salts	68131-04-4	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Humic acids, sodium salts	68131-04-4	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date 18-Oct-2010

Revision Date 24-Dec-2021

Print Date 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS

Material Safety Data Sheet

HYDRATED LIME

Rev. Date:5/1/2008

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:		Hi-Cal Hydrate	
Synonym/s:		Hydrate, High Calcium Hydrated Lime, Type N Hydrated Lime, HL	
Manufacturer:	US Operations: Chemical Lime Co. 3700 Hulen St. Fort Worth, TX 76107 817-732-8164	Canadian Operations: Chemical Lime Co. of Canada Inc. 20302-102B Ave. Langley, BC V1M 3H1 604-888-4333	
Emergency Phone:		Chemtrec 1-800-424-9300	
Chemical Name:	Calcium Hydroxide	WHMIS Classification:	
Chemical Family:	Alkaline Earth Hydroxide	D2A, E	
Chemical Formula:	Ca(OH) ₂		
Product Use/s:		Water treatment, pH adjustment, FGT, Construction, Pulp/Paper	
Prepared By:		Chemical Lime Co. R&D/Technical Services, KSA	

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS	OSHA PEL, TWA 8/40h (mg/m3)	ACGIH TLV, TWA 8/40h (mg/m3)	NIOSH REL, TWA 8/40h (mg/m3)	NIOSH IDLH (mg/m3)	Conc. (%)
Calcium Hydroxide, Ca(OH) ₂ (Hydrated Lime)	1305-62-0	15 (total dust) 5 (respirable)	5	5	N.A.	> 90
Magnesium Hydroxide, Mg(OH) ₂ (Brucite)	1309-42-8	N.A.	N.A.	N.A.	N.A.	< 5
Magnesium Oxide, MgO (Periclase)	1309-48-4	10	10	N.A.	N.A.	< 5
Calcium Carbonate, CaCO ₃ (Limestone)	1317-65-3 (471-34-1)	15 (total dust) 5 (respirable)	10	10 (total dust) 5 (respirable)	N.A.	< 3
Crystalline Silica, SiO ₂ (Quartz)	14808-60-7	10/(SiO ₂ % + 2) (respirable)	0.025 (respirable)	0.05 (respirable)	50	< 2

OSHA Regulatory Status: This material is subject to 29 CFR 1910.1200 (Hazard Communication).

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview: Hydrate is an odorless white or grayish-white powder. Contact can cause irritation to eyes, skin, respiratory system, and gastrointestinal tract.

Potential Health Effects

Eyes: Contact can cause severe irritation or burning of eyes, including permanent damage.

Skin: Contact can cause irritation of skin.

Ingestion: This product can cause severe irritation of gastrointestinal tract if swallowed.

Inhalation: This product can cause severe irritation of the respiratory system. Long-term exposure may cause permanent damage. Hydrate is not listed by MSHA, OSHA, or IARC as a carcinogen. However, this product may contain trace amounts of crystalline silica in the form of quartz or cristobalite, which has been classified by IARC as a Group I carcinogen to humans when inhaled. Inhalation of silica can also cause a chronic lung disorder, silicosis.

Medical Conditions Aggravated by Exposure:

Contact may aggravate disorders of the eyes, skin, gastrointestinal tract, and respiratory system.

Potential

Environmental Effects: This material is alkaline and if released into water or moist soil will cause an increase in pH.

SECTION 4: FIRST AID MEASURES

Eyes: Immediately flush eyes with generous amounts of water or eye wash solution if water is unavailable. Pull back eyelid while flushing to ensure that all lime dust has been washed out. Seek medical attention promptly if the initial flushing of the eyes does not remove the irritant. Do not rub eyes.

Skin: Brush off or remove as much dry lime as possible. Wash exposed area with large amounts of water. If irritation persists, seek medical attention promptly.

Inhalation: Move victim to fresh air. Seek medical attention. If breathing has stopped, give artificial respiration.

Ingestion: Do not induce vomiting. Seek medical attention immediately. Never give anything by mouth unless instructed to do so by medical personnel.

Material Safety Data Sheet

HYDRATED LIME

Rev. Date:5/1/2008

SECTION 5: FIRE FIGHTING MEASURES

Fire Hazards:	Hydrate is not combustible or flammable. However, hydrate reacts vigorously with acids, and may release heat sufficient to ignite combustible materials in specific instances. Hydrate is not considered to be an explosion hazard, although reaction with acids or other incompatible materials may rupture containers.
Hazardous Combustion Products:	None
Extinguishing Media:	Use dry chemical fire extinguisher. Do not use water or halogenated compounds, except that large amounts of water may be used to deluge small quantities of hydrate.
Fire Fighting Instructions:	Keep personnel away from and upwind of fire. Avoid skin contact or inhalation of dust. Wear full fire-fighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill / Leak Procedures:	Do Not use water on bulk material spills. Use proper protective equipment.
Small Spills:	Use dry methods to collect spilled materials. Avoid generating dust. Do not clean up with compressed air. Store collected materials in dry, sealed plastic or non-aluminum metal containers. Residue on surfaces may be water washed.
Large Spills:	Use dry methods to collect spilled materials. Evacuate area downwind of clean-up operations to minimize dust exposure. Store spilled materials in dry, sealed plastic or non-aluminum metal containers.
Containment:	Minimize dust generation and prevent bulk release to sewers or waterways.
Clean-up:	Residual amounts of material can be flushed with large amounts of water. Equipment can be washed with either a mild vinegar and water solution, or detergent and water.

SECTION 7: HANDLING AND STORAGE

Handling:	Keep in tightly closed plastic or non-aluminum metal containers. Protect containers from physical damage. Avoid direct skin contact with the material.
Storage:	Store in a cool, dry, and well-ventilated location. Do not store near acids or other incompatible materials. Keep away from moisture. Do not store or ship in aluminum containers.

Material Safety Data Sheet

HYDRATED LIME

Rev. Date:5/1/2008

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Provide ventilation adequate to maintain PELs.
Respiratory Protection:	Use NIOSH/MSHA approved respirators if airborne concentration exceeds PELs.
Skin Protection:	Use appropriate gloves and footwear to prevent skin contact. Clothing should fully cover arms and legs. Should lime get inside clothing or gloves, remove the clothing and the lime promptly.
Eye Protection:	Use safety glasses with side shields or safety goggles. Contact lenses should not be worn when working with lime products.
Other:	Eye wash fountain/stations and emergency showers should be available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White or grayish-white powder	Odor: Odorless	Physical State: Solid
Boiling Point (°C/°F): 2850 / 5162	Melting Point (°C/°F): dec 580 / 1076	Specific Gravity (Apparent) g/cc: 0.4 - 0.55 (True) g/cc: 2.2 - 2.4
Vapor Pressure (mm Hg): N.A.	Vapor Density: N.A.	Evaporation Rate: N.A.
Solubility in Water Slightly soluble in water.	pH (25°C/77°F): 12.4	

SECTION 10: STABILITY AND REACTIVITY

Stability:	Chemically stable, but slowly reacts with carbon dioxide to form calcium carbonate. See also Incompatibility below.								
Incompatibility/ Conditions to Avoid:	Hydrate should not be mixed or stored with the following materials, due to the potential for vigorous reaction and release of heat:								
	<table border="1"> <tr> <td>Acids (unless in a controlled process)</td> <td>Organic Acid Anhydrides</td> </tr> <tr> <td>Reactive Fluoridated Compounds</td> <td>Nitro-Organic Compounds</td> </tr> <tr> <td>Reactive Brominated Compounds</td> <td>Reactive Phosphorous Compounds</td> </tr> <tr> <td>Reactive Powdered Metals</td> <td>Interhalogenated Compounds</td> </tr> </table>	Acids (unless in a controlled process)	Organic Acid Anhydrides	Reactive Fluoridated Compounds	Nitro-Organic Compounds	Reactive Brominated Compounds	Reactive Phosphorous Compounds	Reactive Powdered Metals	Interhalogenated Compounds
Acids (unless in a controlled process)	Organic Acid Anhydrides								
Reactive Fluoridated Compounds	Nitro-Organic Compounds								
Reactive Brominated Compounds	Reactive Phosphorous Compounds								
Reactive Powdered Metals	Interhalogenated Compounds								
Hazardous Decomposition Products:	None								
Hazardous Polymerization:	None								

SECTION 11: TOXICOLOGICAL INFORMATION

ORL-RAT LD50: 7,340 MG/KG
ORL-MUS LD50: 7,300 MG/KG

Hydrated Lime is not listed by MSHA, OSHA, or IARC as a carcinogen, but this product may contain trace amounts of crystalline silica, which has been classified by IARC as carcinogenic to humans when inhaled in the form of quartz or cristobalite.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: Because of the high pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems in high concentrations.

Environmental Fate: This material shows no bioaccumulation effect or food chain concentration toxicity.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable federal, state, and local environmental regulations. If this product as supplied, and unmixed, becomes a waste, it will not meet the criteria of a hazardous waste as defined under the U.S. Resource Conservation and Recovery Act (RCRA).

SECTION 14: TRANSPORTATION INFORMATION

Hydrate is not classified as a hazardous material by US DOT and is not regulated by the Transportation of Dangerous Goods (TDG) when shipped by any mode of transport.

Material Safety Data Sheet

HYDRATED LIME

Rev. Date:5/1/2008

SECTION 15: REGULATORY INFORMATION

U.S. EPA Regulations: RCRA Hazardous Waste Number (40 CFR 261.33): not listed
RCRA Hazardous Waste Classification (40 CFR 261): not classified
CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001;
CWA, Sec. 311(b)(4); CWA, Sec. 307(a), CAA, Sec. 112
CERCLA Reportable Quantity (RQ), not listed
SARA 311/312 Codes: not listed
SARA Toxic Chemical (40 CFR 372.65): not listed
SARA EHS (Extremely Hazardous Substance) (40 CFR 355): not listed, Threshold
Planning Quantity (TPQ): not listed
All chemical ingredients are listed on the USEPA TSCA Inventory List.

OSHA/MSHA

Regulations: Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): 5mg/M³TWA-8
MSHA: not listed
OSHA Specifically Regulated Substance (29 CFR 1910): not listed

State Regulations: Consult state and local authorities for guidance. Components found in this product may contain trace amounts of inherent naturally occurring elements (such as, but not limited to arsenic and cadmium) that may be regulated.

Canada: WHMIS Classification: "D2A" Materials Causing Other Toxic Effects
WHMIS Classification: "E" Corrosive Materials (listed due to corrosive effect on aluminum)
Canada DSL: Listed

NFPA Hazard Class: Health: 1 Flammability: 0 Reactivity: 0
HMIS Hazard Class: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: E



SECTION 16: OTHER INFORMATION

Prepared By: Chemical Lime Company, R&D/Technical Services, KSA

Chemical Lime Company provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person. Individuals receiving this information must consult their own technical and legal advisors and/ or exercise their own judgment in determining its appropriateness for a particular purpose. Chemical Lime Company makes no representations or warranties, either express or implied, including without limitation and warranties of merchantability or fitness for a particular purpose with respect to the information set forth herein or the product(s) to which the information refers. Accordingly, Chemical Lime Company will not be responsible or liable for any claims, losses or damages resulting from the use of or reliance upon or failure to use this information.

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 24-Dec-2021

Revision Number 12

1. Identification

Product Name	Hydrogen Peroxide (30% in water)
Cat No. :	BP2633-500; NC1592410
Synonyms	Hydrogen Dioxide; Peroxide; Carbamide Peroxide
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing liquids	Category 2
Acute oral toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer
Harmful if swallowed or if inhaled
Causes severe skin burns and eye damage

**Precautionary Statements****Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wear protective gloves/protective clothing/eye protection/face protection
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Keep/Store away from clothing/ other combustible materials
 Take any precaution to avoid mixing with combustibles

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth
 Do NOT induce vomiting

Fire

In case of fire: Use water spray/fog or regular foam to extinguish

Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	65 - 80
Hydrogen peroxide	7722-84-1	20 - 35

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms and effects	Causes severe eye damage. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Foam. Carbon dioxide (CO ₂).
Unsuitable Extinguishing Media	Dry chemical
Flash Point	Not applicable
Method -	No information available
Autoignition Temperature	No information available
Explosion Limits	
Upper	No data available
Lower	No data available
Oxidizing Properties	Oxidizer
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical
 Oxidizer: Contact with combustible/organic material may cause fire. In the event of fire and/or explosion do not breathe fumes. Containers may explode when heated. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products
 Hydrogen. Oxygen.

Protective Equipment and Precautions for Firefighters
 As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	2	OX

6. Accidental release measures

Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Environmental Precautions	Should not be released into the environment. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.
Methods for Containment and Clean Up	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek
-----------------	--

immediate medical assistance. Ensure adequate ventilation.

Storage.

Keep away from combustible material. Keep cool and protect from sunlight. Keep container tightly closed in a dry and well-ventilated place. Do not store in metal containers. Keep only in the original container. Incompatible Materials. Finely powdered metals. copper. Reducing Agent. Strong bases. Combustible material. Organic materials.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Hydrogen peroxide	TWA: 1 ppm	(Vacated) TWA: 1 ppm (Vacated) TWA: 1.4 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³	TWA: 1 ppm

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type:

Particulates filter conforming to EN 143. Inorganic gases and vapours filter. Type B. Grey. conforming to EN14387.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Clear
Odor	pungent
Odor Threshold	No information available
pH	3.3 (30 %)
Melting Point/Range	-33 °C / -27.4 °F
Boiling Point/Range	108 °C / 226.4 °F @ 760 mmHg
Flash Point	Not applicable
Evaporation Rate	>1.0 (Butyl Acetate = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	23 mmHg @ 30 °C
Vapor Density	1.10
Specific Gravity	1.11

Solubility	Miscible with water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	H2O2
Molecular Weight	34.01

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Oxidizer: Contact with combustible/organic material may cause fire. Light sensitive.
Conditions to Avoid	Incompatible products. Excess heat. Exposure to light. Combustible material.
Incompatible Materials	Finely powdered metals, copper, Reducing Agent, Strong bases, Combustible material, Organic materials
Hazardous Decomposition Products	Hydrogen, Oxygen
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50	Category 4. ATE = 300 - 2000 mg/kg.
Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
Mist LC50	Category 4. ATE = 1 - 5 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hydrogen peroxide	376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol)	>2000 mg/kg (Rabbit)	LC50 = 2000 mg/m³ (Rat) 4 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes burns by all exposure routes
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed	A3

IARC (International Agency for Research on Cancer)

*IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans*

ACGIH: (American Conference of Governmental Industrial Hygienists)

*A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen*

Mexico - Occupational Exposure Limits - Carcinogens

*ACGIH: (American Conference of Governmental Industrial Hygienists)
Mexico - Occupational Exposure Limits - Carcinogens
A1 - Confirmed Human Carcinogen*

A2 - Suspected Human Carcinogen
 A3 - Confirmed Animal Carcinogen
 A4 - Not Classifiable as a Human Carcinogen
 A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure	None known
STOT - repeated exposure	None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrogen peroxide	EC50 2.5 mg/L/72h	LC50: 16.4 mg/L/96h (P.promelas)	Not listed	EC50 7.7 mg/L/24h

Persistence and Degradability Persistence is unlikely based on information available. Miscible with water

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Hydrogen peroxide	-1.1

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

TDG

UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Subsidiary Hazard Class	8

Packing Group	II
IATA	
UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN2014
Proper Shipping Name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	II

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Hydrogen peroxide	7722-84-1	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	X	-	231-791-2	X	X		X	X	KE-35400
Hydrogen peroxide	7722-84-1	X	-	-	X	X	X	X	X	KE-20204

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrogen peroxide	-	TQ: 7500 lb

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrogen peroxide	-	1000 lb

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Hydrogen peroxide	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:
Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrogen peroxide	Theft STQs - 400lb (concentration >=35%)

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Hydrogen peroxide	7722-84-1	-	Use restricted. See item 75. (see link for restriction details)	-

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date 22-Sep-2009
Revision Date 24-Dec-2021
Print Date 24-Dec-2021
Revision Summary SDS sections updated. 7.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS

SAFETY DATA SHEET

Creation Date 08-Feb-2010

Revision Date 06-Sep-2023

Revision Number 8

1. Identification

Product Name Iron(III) chloride hexahydrate

Cat No. : AC217090000; AC217090025; AC217091000; AC217095000

CAS No 10025-77-1

Synonyms Ferric chloride hexahydrate

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Harmful if swallowed
Causes skin irritation

Causes serious eye damage



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Iron (III) chloride hexahydrate	10025-77-1	<=100
Iron(III) chloride	7705-08-0	-

4. First-aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Most important symptoms and effects	None reasonably foreseeable. Causes severe eye damage. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point	Not applicable
Method -	No information available
Autoignition Temperature	No information available
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. May ignite combustibles (wood paper, oil, clothing, etc.). In the event of fire and/or explosion do not breathe fumes. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Chlorine. Metal oxides. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

6. Accidental release measures

Personal Precautions	Use personal protective equipment as required. Avoid dust formation. Ensure adequate ventilation.
Environmental Precautions	Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.
Methods for Containment and Clean Up	Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling	Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep away from water or moist air. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Metals. Strong bases.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Iron (III) chloride hexahydrate	TWA: 1 mg/m ³	(Vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
Iron(III) chloride	TWA: 1 mg/m ³	(Vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists
 OSHA - Occupational Safety and Health Administration
 NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Solid
Appearance	Dark yellow
Odor	No information available
Odor Threshold	No information available
pH	2 0.1M in water
Melting Point/Range	37 °C / 98.6 °F
Boiling Point/Range	280 - 285 °C / 536 - 545 °F
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	negligible
Vapor Density	Not applicable
Specific Gravity	1.82 (H ₂ O=1)
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Cl ₃ Fe . 6 H ₂ O
Molecular Weight	270.29

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Hygroscopic.
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat. Exposure to air or moisture over prolonged periods. Exposure to moist air or water.
Incompatible Materials	Strong oxidizing agents, Metals, Strong bases

Hazardous Decomposition Products Chlorine, Metal oxides, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron (III) chloride hexahydrate	LD50 = 900 mg/kg (Rat)	Not listed	Not listed
Iron(III) chloride	450 mg/kg (Rat) 316 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes eye burns, Irritating to skin, May cause irritation of respiratory tract

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Iron (III) chloride hexahydrate	10025-77-1	Not listed				
Iron(III) chloride	7705-08-0	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Iron (III) chloride hexahydrate	Not listed	22 mg/l 96H (anh subst)	Not listed	9.6 mg/l 48H (anh subst)
Iron(III) chloride	Not listed	LC50: 20.95 - 22.56 mg/L, 96h semi-static (Pimephales)	Not listed	EC50: = 9.6 mg/L, 48h Static (Daphnia magna)

		promelas) LC50: = 20.26 mg/L, 96h semi-static (Lepomis macrochirus)		EC50: = 27.9 mg/L, 48h (Daphnia magna)
--	--	--	--	---

Persistence and Degradability May persist

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Iron (III) chloride hexahydrate	4
Iron(III) chloride	-4

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3260
 Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
 Technical Name Iron (III) chloride hexahydrate
 Hazard Class 8
 Packing Group III

TDG

UN-No UN3260
 Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
 Hazard Class 8
 Packing Group III

IATA

UN-No UN3260
 Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
 Hazard Class 8
 Packing Group III

IMDG/IMO

UN-No UN3260
 Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
 Hazard Class 8
 Packing Group III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Iron (III) chloride hexahydrate	10025-77-1	-	-	-
Iron(III) chloride	7705-08-0	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Iron (III) chloride hexahydrate	10025-77-1	-	-	-	X	X		X	X	-
Iron(III) chloride	7705-08-0	X	-	231-729-4	X	X	X	X	X	KE-21134

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Iron(III) chloride	X	1000 lb	-	-

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Iron(III) chloride	1000 lb	-

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Iron (III) chloride hexahydrate	-	-	X	-	X
Iron(III) chloride	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -

		Subject to Authorization	on Certain Dangerous Substances	Candidate List of Substances of Very High Concern (SVHC)
Iron (III) chloride hexahydrate	10025-77-1	-	-	-
Iron(III) chloride	7705-08-0	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Iron (III) chloride hexahydrate	10025-77-1	Listed	Not applicable	Not applicable	Not applicable
Iron(III) chloride	7705-08-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Iron (III) chloride hexahydrate	10025-77-1	Not applicable	Not applicable	Not applicable	Not applicable
Iron(III) chloride	7705-08-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date	08-Feb-2010
Revision Date	06-Sep-2023
Print Date	06-Sep-2023
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 1 of 7

Potassium Iodide, 0.1M

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Potassium Iodide, 0.1M

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25864

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Irritant

Skin Irritation, Category 2

Eye Irritation, Category 2

Signal word :Warning

Hazard statements:

Causes serious eye irritation

Causes skin irritation

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Wash skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with soap and water

Specific treatment (see supplemental first aid instructions on this label)

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

If eye irritation persists get medical advice/attention

Other Non-GHS Classification:

WHMIS

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 2 of 7

Potassium Iodide, 0.1M

NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 7681-11-0	Potassium Iodide	1.66 %
CAS 7732-18-5	DI Water	98.34 %
Percentages are by weight		

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact: Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath,;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 3 of 7

Potassium Iodide, 0.1M

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Small quantities may be flushed to drains with plenty of water.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Wash hands after handling. Follow good hygiene procedures when handling chemical materials. Use only in well ventilated areas. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed. Protect from freezing and physical damage.

SECTION 8 : Exposure controls/personal protection



Control Parameters:

7681-11-0, Potassium Iodide, ACS, ACGIH NIOSH 0.01 mg/m3

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood

Respiratory protection:

Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. Normal ventilation is adequate.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Eye protection:

Safety glasses with side shields or goggles.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 4 of 7

Potassium Iodide, 0.1M

General hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure:	Not Determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not Determined	Relative density:	Approx 1.07-1.36
Melting/Freezing point:	Approx 0°C	Solubilities:	Soluble in water
Boiling point/Boiling range:	Approx 100°C	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid,gaseous):	Not determined	Viscosity:	a. Kinematic:Not determined b. Dynamic: Not determined
Density: Not determined			

SECTION 10 : Stability and reactivity

Reactivity:Nonreactive under normal conditions.

Chemical stability:No decomposition if used and stored according to specifications.

Possible hazardous reactions:None under normal processing

Conditions to avoid:exposure to light.Incompatible Materials.

Incompatible materials:Strong acids.Strong bases.Strong oxidizers

Hazardous decomposition products:Hydrogen iodide. Iodine gas. May include oxides of iodine

SECTION 11 : Toxicological information

Acute Toxicity:		
Oral:	POTASSIUM IODIDE (7681-11-0)	LD50 Rat: 285 mg/kg
Chronic Toxicity: No additional information.		
Corrosion Irritation:		
Dermal:	7681-11-0	Rabbit: causes irritation
Ocular:	7681-11-0	Rabbit: causes irritation
Sensitization:		No additional information.
Single Target Organ (STOT):		No additional information.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 5 of 7

Potassium Iodide, 0.1M

Numerical Measures:	No additional information.
Carcinogenicity:	No additional information.
Mutagenicity:	No additional information.
Reproductive Toxicity:	No additional information.

SECTION 12 : Ecological information

Ecotoxicity

Crustacea LC50 Zebra mussel (*Dreissena polymorpha*) 220 - 313 mg/l, 24 hours: 7681-11-0

Fish LC50 - *Oncorhynchus mykiss* (rainbow trout) - 2,190 mg/l - 96 h: 7681-11-0

Persistence and degradability:

Bioaccumulative potential: Not Bioaccumulative.

Mobility in soil:

Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction.

SECTION 14 : Transport information

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es)

Packing group: Not Regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 6 of 7

Potassium Iodide, 0.1M

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.16.2014

Page 7 of 7

Potassium Iodide, 0.1M

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date : 12.16.2014

Last updated : 03.19.2015

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 1 of 6

Magnesium Carbonate, Lab Grade

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Magnesium Carbonate, Lab Grade

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25400

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:


Hazard statements:

Precautionary statements:

If medical advice is needed, have product container or label at hand
Keep out of reach of children
Read label before use
Do not eat, drink or smoke when using this product

Other Non-GHS Classification:

**WHMIS
NFPA/HMIS**



NFPA SCALE (0-4)

Health	0
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:
Percentages are by weight

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 2 of 6

Magnesium Carbonate, Lab Grade

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Substance is non-flammable. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Ensure that air-handling systems are operational. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Should not be released into environment.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. Wear protective eyewear, gloves, and clothing. Refer to Section 8. Always obey local regulations. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect solids in powder form using vacuum with (HEPA filter). Evacuate personnel to safe areas.

Reference to other sections:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 3 of 6

Magnesium Carbonate, Lab Grade

SECTION 7 : Handling and storage

Precautions for safe handling:

Minimize dust generation and accumulation. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. Protect from freezing and physical damage. Keep away from food and beverages. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed containers. Store with like hazards

SECTION 8 : Exposure controls/personal protection



Control Parameters:

No applicable occupational exposure limits

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use under a fume hood

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

Eye protection:

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	white powder	Explosion limit lower:	Not determined
		Explosion limit upper:	Not determined

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 4 of 6

Magnesium Carbonate, Lab Grade

Odor:	Not determined	Vapor pressure:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	
Boiling point/Boiling range:	Not determined	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid,gaseous):	Not determined	Viscosity:	a. Kinematic:Not determined b. Dynamic: Not determined
Density: Not determined			

SECTION 10 : Stability and reactivity

Reactivity:Nonreactive under normal conditions.

Chemical stability:Stable under normal conditions.

Possible hazardous reactions:None under normal processing

Conditions to avoid:Incompatible Materials.

Incompatible materials:Strong acids.Strong bases.Oxidizing agents.

Hazardous decomposition products:

SECTION 11 : Toxicological information

Acute Toxicity: No additional information.	
Chronic Toxicity: No additional information.	
Corrosion Irritation: No additional information.	
Sensitization:	No additional information.
Single Target Organ (STOT):	No additional information.
Numerical Measures:	No additional information.
Carcinogenicity:	No additional information.
Mutagenicity:	No additional information.
Reproductive Toxicity:	No additional information.

SECTION 12 : Ecological information

Ecotoxicity Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 5 of 6

Magnesium Carbonate, Lab Grade

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es)

Packing group: Not Regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients is listed

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

39409-82-0 Magnesium carbonate - Not Listed

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 10.24.2014

Page 6 of 6

Magnesium Carbonate, Lab Grade

Canada

Canadian Domestic Substances List (DSL):

39409-82-0 Magnesium carbonate - Not Listed

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
CFR: Code of Federal Regulations (USA)
SARA: Superfund Amendments and Reauthorization Act (USA)
RCRA: Resource Conservation and Recovery Act (USA)
TSCA: Toxic Substances Control Act (USA)
NPRI: National Pollutant Release Inventory (Canada)
DOT: US Department of Transportation

Effective date : 10.24.2014

Last updated : 03.19.2015

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Magnesium carbonate Ph.Eur., light

article number: 3530
Version: 4.0 en
Replaces version of: 2022-07-18
Version: (3)

date of compilation: 2017-07-06
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Magnesium carbonate Ph.Eur., light
Article number	3530
Registration number (REACH)	01-2119523999-20-xxxx
EC number	235-192-7
CAS number	12125-28-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https://www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

Magnesium carbonate Ph.Eur., light

article number: 3530

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Magnesium carbonate
Molecular formula	$(\text{MgCO}_3)_4 \text{Mg}(\text{OH})_2 \cdot 5 \text{H}_2\text{O}$
Molar mass	485,6 g/mol
REACH Reg. No	01-2119523999-20-xxxx
CAS No	12125-28-9
EC No	235-192-7

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Abdominal pain, Vomiting, Nausea

4.3 Indication of any immediate medical attention and special treatment needed

none

Magnesium carbonate Ph.Eur., light

article number: 3530

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Magnesium carbonate Ph.Eur., light

article number: 3530

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm

Magnesium carbonate Ph.Eur., light

article number: 3530

• **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

• **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	white
Odour	odourless
Melting point/freezing point	300 °C at 1.013 hPa (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	10 – 11 (in aqueous solution: 50 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	0,074 g/l at 20 °C (poorly soluble) (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined



Magnesium carbonate Ph.Eur., light

article number: 3530

Density and/or relative density

Density 2,16 g/cm³ at 23 °C
 Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acids

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 mg/kg	rat	anhydrous	ECHA



Magnesium carbonate Ph.Eur., light

article number: 3530

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• **If swallowed**

diarrhoea, vomiting, abdominal pain, nausea

• **If in eyes**

slightly irritant but not relevant for classification

• **If inhaled**

Inhalation of dust may cause irritation of the respiratory system

• **If on skin**

Data are not available.

• **Other information**

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

Magnesium carbonate Ph.Eur., light

article number: 3530

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand: -0,1647 mg/mg
Theoretical Carbon Dioxide: 0,3625 mg/mg

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.



Magnesium carbonate Ph.Eur., light

article number: 3530

SECTION 14: Transport information

- 14.1 **UN number or ID number** not subject to transport regulations
- 14.2 **UN proper shipping name** not assigned
- 14.3 **Transport hazard class(es)** none
- 14.4 **Packing group** not assigned
- 14.5 **Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations

14.6 **Special precautions for user**
There is no additional information.

14.7 **Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Magnesium carbonate Ph.Eur., light

article number: **3530**

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Magnesium carbonate	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Magnesium carbonate Ph.Eur., light

article number: 3530

Country	Inventory	Status
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN.		yes
15.1	VOC content: 0 % 0 9/1	VOC content: 0 %	yes
15.1		VOC content: 0 9/1	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Magnesium carbonate Ph.Eur., light

article number: **3530**

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: **4487**
Version: **4.0 en**
Replaces version of: 2021-11-02
Version: (3)

date of compilation: 2017-01-31
Revision: 2024-03-02

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS
Article number	4487
Registration number (REACH)	01-2119456624-35-xxxx
Index number in CLP Annex VI	025-003-00-4
EC number	232-089-9
CAS number	10034-96-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https://www.poisons.ie/

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: **4487**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS08,
GHS09



Hazard statements

H318 Causes serious eye damage
H373 May cause damage to organs through prolonged or repeated exposure
H411 Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust
P273 Avoid release to the environment

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P314 Get medical advice/attention if you feel unwell
P391 Collect spillage

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H318 Causes serious eye damage.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Manganese(II) sulphate monohydrate
Molecular formula	$\text{MnSO}_4 \cdot \text{H}_2\text{O}$
Molar mass	169 g/mol
REACH Reg. No	01-2119456624-35-xxxx
CAS No	10034-96-5
EC No	232-089-9
Index No	025-003-00-4

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Abdominal pain, Nausea, Vomiting, Diarrhoea, Risk of serious damage to eyes, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Sulphur oxides (SO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: 4487

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [mg/m ³]	STEL [mg/m ³]	Ceiling-C [mg/m ³]	Notation	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,004 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,03 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	56 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,011 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,001 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	25,1 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.


SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder, crystalline
Colour	light pink
Odour	odourless
Melting point/freezing point	>449 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>400 °C
pH (value)	3 – 3,5 (in aqueous solution: 50 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	762 g/l at 20 °C
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: 4487

Density and/or relative density

Density 2,95 g/cm³ at 20 °C
Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali, Strong acid

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >400 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2.150 mg/kg	rat	anhydrous	ECHA
inhalation: dust/ mist	LC50	>4,45 mg/l/4h	rat	anhydrous	ECHA

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥ 99 %, p.a., ACS

article number: 4487

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, vomiting, abdominal pain, nausea, gastrointestinal complaints

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
ErC50	61 mg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 mg/l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: 4487

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 3077
IMDG-Code	UN 3077
ICAO-TI	UN 3077

14.2 UN proper shipping name

ADRRID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
Technical name	Manganese(II) sulphate monohydrate

14.3 Transport hazard class(es)

ADRRID	9
IMDG-Code	9
ICAO-TI	9

14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Particulars in the transport document	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Manganese(II) sulphate monohydrate), 9, III, (-)
Classification code	M7
Danger label(s)	9, "Fish and tree"
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

Classification code	M7
Danger label(s)	9, "Fish and tree"
 	
Environmental hazards	Yes Hazardous to water
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Hazard identification No	90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Manganese(II) sulphate monohydrate), 9, III
Marine pollutant	yes (hazardous to the aquatic environment), (Manganese(II) sulphate monohydrate)
Danger label(s)	9, "Fish and tree"

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS


article number: 4487



Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (Manganese(II) sulphate monohydrate), 9, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"



Special provisions (SP)	A97, A158, A179, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII


Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Manganese(II) sulphate monohydrate	substances in tattoo inks and permanent make-up		R75	75

Legend

- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

Legend

- (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
- (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
- (a) the statement "Mixture for use in tattoos or permanent make-up";
 - (b) a reference number to uniquely identify the batch;
 - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
 - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
 - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
 - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
 - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.
- The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
- Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
- Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: 4487

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Manganese(II) sulphate monohydrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Manganese(II) sulphate monohydrate	Metals and their compounds		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: 4487

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate ≥99 %, p.a., ACS

article number: 4487

SECTION 16: Other information


Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information	yes
14.8		Classification code: M7	yes
14.8		Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 335, 375, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 90	yes
15.1	VOC content: 0 % , 0 9/l	VOC content: 0 %	yes
15.1		VOC content: 0 9/l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: 4487

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	\equiv EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Manganese(II) sulphate monohydrate $\geq 99\%$, p.a., ACS

article number: **4487**

Abbr.	Descriptions of used abbreviations
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.


Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.



The Power to Question

SAFETY DATA SHEET

Santa Cruz Biotechnology, Inc.

Revision date 29-Jul-2016

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name DL-Methionine
Product Code SC-397777

Recommended use of the chemical and restrictions on use

For research use only. Not intended for diagnostic or therapeutic use.

Details of the supplier of the safety data sheet

Santa Cruz Biotechnology, Inc.
10410 Finnell Street
Dallas, TX 75220
831.457.3800
800.457.3801
scbt@scbt.com

Emergency telephone number

Chemtrec
1.800.424.9300 (Within USA)
+1.703.527.3887 (Outside USA)

2. HAZARDS IDENTIFICATION

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122).

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Signal word Not classified
Hazard statements Not classified
Symbols/Pictograms Not classified

Precautionary Statements - Prevention Wash hands thoroughly after handling
Precautionary Statements - Response IF exposed or concerned: Get medical advice/attention

Hazards not otherwise classified (HNOC)

Hazards not otherwise classified (HNOC) Not applicable

Other Information

Unknown acute toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity.

NFPA	Health hazards	0		HMIS	Health hazards	0
	Flammability	1			Flammability	1
	Stability	0			Physical hazards	0
	Physical and chemical properties	-			Personal protection	-

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No 59-51-8
Molecular Weight 149.21
Formula C5H11NO2S

Chemical Name	CAS No	Weight %	Oral LD50	Dermal LD50	Inhalation LC50
---------------	--------	----------	-----------	-------------	-----------------

DL-Methionine	59-51-8	>98	-	-	-
---------------	---------	-----	---	---	---

4. FIRST AID MEASURES

First Aid Measures

General advice	Consult a physician if necessary. Remove to fresh air.
Eye contact	Wash with plenty of water.
Skin Contact	Wash skin with soap and water.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	None.

Specific hazards arising from the chemical

Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Hydrogen sulfide. Carbon oxides. Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.

Protective equipment and precautions for firefighters

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Noxious vapor/odor. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Desiccate at room temperature.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance No information available

Odor Sulphurous May be unpleasant

<u>Property</u>	<u>Values</u>
pH	No information available
Melting point/freezing point	280 °C
Boiling point	186 °C
Flash point	139.4 °C
Density	No information available
Evaporation rate	No information available
Upper flammability limits	No information available
Lower flammability limit	No information available
Vapor pressure	0.0 mmHg
Vapor density	No information available
Specific gravity	1.3
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	-1.87
Autoignition temperature	No information available
Decomposition temperature	280 ° C
Kinematic viscosity	No information available
Explosive properties	No information available

Oxidizing properties No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable
Chemical stability Stable under recommended storage conditions.
Possibility of Hazardous Reactions None under normal processing.
Hazardous polymerization No information available.
Conditions to avoid Extremes of temperature and direct sunlight.
Incompatible materials Strong oxidizing agents.
Hazardous Decomposition Products Hydrogen sulfide. Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No data available.
Eye contact No data available.
Skin Contact No data available.
Ingestion No data available.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 100% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity May cause long lasting harmful effects to aquatic life

100% of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Persistence and degradability No information available.
Bioaccumulation No information available.
Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated
IMDG	Not regulated
IATA	Not regulated

15. REGULATORY INFORMATION

International Inventories

All of the components in the product are on the following Inventory lists

TSCA (United States): Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) China (IECSC) ENCS (Japan): Philippines (PICCS)

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
DL-Methionine	X	X	-	X	-	X	X	-	X	X

X - Listed

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

16. OTHER INFORMATION

Revision note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Safety Data Sheet

Classified according to WHMIS 2015

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Selenate Standard, 1000 ppm SeO_4^{2-}

Product Number: R6699000

Other Identifying Product Numbers: R6699000-120A, R6699000-1A, R6699000-250A

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300

CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

This product is not categorized as hazardous in any GHS hazard class.

2.2. GHS Label Elements

Pictograms: None Required.

Signal Word: None Required.

Safety Data Sheet

Hazard Statements: None Required.

Precautionary Statements: None Required.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	99.87
Sodium Selenate	Na ₂ SeO ₄	188.93 g/mol	13410-01-0	0.13

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: May cause slight irritation.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: May cause slight irritation.

Ingestion: Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

This solution is toxic. Wash areas of contact with water. Call a physician if irritation develops. If ingested, dilute with water. Call a physician if necessary. EYE CONTACT: May cause slight irritation. SKIN CONTACT: May cause slight irritation.

4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Di with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

Safety Data Sheet

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Sodium Selenate (13410-01-0)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Selenate (13410-01-0)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Selenate (13410-01-0)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Selenate (13410-01-0)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Selenate (13410-01-0)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Selenate (13410-01-0)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Selenate (13410-01-0)	TLV-TWA	USA	0.2 mg/m ³ TWA (as Se)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Sodium Selenate (13410-01-0)	TWA	USA	0.2 mg/m ³ TWA (as Se)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Selenate (13410-01-0)	TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Sodium Selenate (13410-01-0)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as Se)" As Selenium compounds [RR-00612-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Chemical resistant gloves.

Eye Protection: Safety glasses or goggles.

Safety Data Sheet

8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Neutral to slightly acidic

Melting/Freezing Point: 0.0°C

Initial Boiling Point/Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.0

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Strong oxidizers, acids, Chromium Trioxide, Potassium Bromate.

Safety Data Sheet

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral, Rat: 1.6 mg/kg (Sodium Selenate), details of toxic effects not reported other than lethal dose value. Selenium may be toxic at higher concentrations even though it is an essential trace element in the diet.

Skin Corrosion and Irritation:

Not applicable.

Serious Eye Damage and Irritation:

Not applicable.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

Safety Data Sheet

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

Safety Data Sheet

14.2. Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG Regulations.

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Sodium Selenate (CAS # 13410-01-0): 100 lb EPCRA RQ

Sodium Selenate (CAS # 13410-01-0): 100 lb lower TPQ; 10000 lb upper TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Not listed.

Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Sodium Selenate (CAS # 13410-01-0): "1.0 % de minimis concentration (includes any unique chemical substance that contains Selenium as part of the chemical's infrastructure, listed under Chemical Category N725)" As Selenium compounds [RR-00612-2]

Sodium Selenate (CAS # 13410-01-0): 1.0 % de minimis concentration (includes any unique chemical substance that contains Selenium as part of the chemical's infrastructure, listed under Chemical Category N725)

15.5. Massachusetts Right-to-Know Substance List

Sodium Selenate (CAS # 13410-01-0): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Sodium Selenate (CAS # 13410-01-0): "Environmental hazard" As Selenium compounds [RR-00612-2]

Sodium Selenate (CAS # 13410-01-0): "Present" As Selenium compounds [RR-00612-2]

Sodium Selenate (CAS # 13410-01-0): Environmental hazard

Sodium Selenate (CAS # 13410-01-0): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Sodium Selenate (CAS # 13410-01-0): "SN 2347 500 lb TPQ (Category Code N725. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Selenium compounds [RR-00612-2]

Sodium Selenate (CAS # 13410-01-0): "sn 2347" As Selenium compounds [RR-00612-2]

Sodium Selenate (CAS # 13410-01-0): sn 1726

Sodium Selenate (CAS # 13410-01-0): SN 1726 100 lb TPQ

Sodium Selenate (CAS # 13410-01-0): sn 2347

Sodium Selenate (CAS # 13410-01-0): SN 2347 500 lb TPQ (Category Code N725. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Sodium Selenate (CAS # 13410-01-0): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Sodium Selenate (CAS # 13410-01-0): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Sodium Selenate (CAS # 13410-01-0): 236-501-8

Water (CAS # 7732-18-5): 231-791-2

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2024-07-22

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.



Section 1. Product and Company Identification

Product Name SODIUM MOLYBDATE DIHYDRATE
CAS Number 10102-40-6

Parchem - fine & specialty chemicals
415 Huguenot Street
New Rochelle, NY 10801
☎ (914) 654-6800 📠 (914) 654-6899
🌐 parchem.com ✉ info@parchem.com

EMERGENCY RESPONSE NUMBER
CHEMTEL
Toll Free US & Canada: 1 (800) 255-3924
All other Origins: 1 (813) 248-0585
Collect Calls Accepted

Section 2. Hazards Identification

Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS): Not classified.
Classification according to Directive 67/548/EEC: Not classified.

GHS Label Elements

Pictograms:



Signal word: WARNING

Hazard and precautionary statements

Hazard Statements: Harmful if inhaled.

Precautionary Statements: Avoid breathing dust. Use only in a well-ventilated area.

Response Statements: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Storage: None.

Disposal: None.

Potential Health Effects

Eyes: May cause irritation to the eyes.

Skin: May cause skin irritation.

Inhalation: Do not inhale. May cause respiratory tract irritation.



Ingestion: Do not swallow. May be harmful if swallowed.

Other hazards: The substance does not meet the criteria for a PBT or vPvB substance.
No environmental, toxicological or physico-chemical hazards identified.

Section 3. Composition / Information on Ingredients

Common Name SODIUM MOLYBDATE DIHYDRATE
Synonym(s) Sodium Molybdate Dehydrate. Disodium Molybdate Dihydrate. Sodium Molybdate Crystals
Formula $\text{Na}_2\text{MoO}_4 \cdot 2 \text{H}_2\text{O}$
CAS Number 10102-40-6

COMPONENT	CAS NUMBER	CONCENTRATION
SODIUM MOLYBDATE DIHYDRATE	10102-40-6	100%

Section 4. First Aid Measures

Description of first aid measures

Note: Sodium Molybdate is not classified as a hazardous substance and no substance-specific toxicological hazards are expected. Nevertheless, the following generic first aid measures should be applied as usual when handling any chemical substance.

General Advice: First-aid responders should wear suitable personal protective equipment in case of insufficient ventilation or possible inhalation or eye contact.

Following inhalation: Remove patient from exposure and bring to fresh air. If breathing has stopped, perform artificial respiration and get medical advice/attention immediately.

Following skin contact: Wash skin with water and soap, and rinse thoroughly. If skin irritation occurs, get medical advice/attention.

Following eye contact: Check for and remove and contact lenses. Immediately flush eyes with plenty of water, occasionally lifting upper and lower eyelids, for several minutes. If irritation occurs, get medical advice/attention.

After ingestion: Seek medical advice/attention if feeling unwell.

Most important symptoms and effects, both acute and delayed: Acute or delayed effects are not anticipated for Sodium Molybdate.

Indication of any immediate medical attention and special treatment needed: No specific treatment expected to be required.

PPE first responders: Dust mask, safety goggles and gloves and are recommended.

Section 5. Firefighting Measures

Note: Sodium Molybdate is not flammable/combustible and it does not support fires (no oxidizing properties). Nevertheless, below some general firefighting measures are given, which should be adjusted to the surroundings (e.g. other, hazardous chemicals involved, packaging materials).



Extinguishing media

Suitable extinguishing media: Standard extinguishing media such as water, sand, foam. Use firefighting measures that suit the location and surroundings. Sodium Molybdate is not considered flammable or combustible.

Unsuitable extinguishing media: None. Use firefighting measures that suit the location and surroundings.

Special hazards arising from the substance or mixture: None.

Advice for firefighters: Standard extinguishing media such as water, sand, foam. Use firefighting measures that suit the location and surroundings. Sodium Molybdate is not considered flammable or combustible.

Section 6. Accidental Release Measures

Note: Sodium Molybdate is not classified as a hazardous substance and no substance-specific toxicological or ecotoxicological hazards are expected. Nevertheless, the following generic accidental release measures should be applied as usual when handling any chemical substance.

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Avoid formation and inhalation of dust. Seek to ensure ventilation that maintains airborne concentrations below Occupational Exposure Limits. Keep unprotected persons away. Although the substance has no acute toxicity, it is advised to avoid contact with skin, eyes, and clothing - wear suitable protective equipment.

For emergency responders: Avoid formation and inhalation of dust. Seek to ensure ventilation that maintains airborne concentrations below Occupational Exposure Limits. Keep unprotected persons away. Although the substance has no acute toxicity, it is advised to avoid contact with skin, eyes, and clothing - wear suitable protective equipment.

Environmental precautions: Although the substance is not classified as dangerous to the environment, it is advised that in the event of an accidental release the product should be prevented from reaching the sewage system or any water course, and from penetrating the ground/soil. Dispose of spilled material in accordance with the relevant local regulations.

Methods and material for containment and cleaning up: Avoid formation and inhalation of dust. Use an appropriate industrial vacuum cleaner, equipped with ULPA or HEPA filters. Collect spilled material in suitable containers or bags for recovery or disposal.

Section 7. Handling and Storage

Note: Sodium Molybdate is not classified as a hazardous substance and no substance-specific toxicological or ecotoxicological hazards are expected. Nevertheless, the following generic advice on handling and storage should be followed as for any chemical substance.

Precautions for safe handling

Protective measures: Avoid formation of dust, inhalation and ingestion. General occupational



hygiene practice should always be followed.

Advice on general occupational hygiene: Avoid formation of dust, inhalation and ingestion. General occupational hygiene measures are required to ensure safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no eating, drinking and smoking at the workplace and wearing standard working clothes and shoes unless otherwise stated. Wash hands after contact with the powder or fume. Remove contaminated clothing and protective equipment before entering eating areas. Shower and change clothes at end of work shift. Do not wear contaminated clothing at home. Do not blow dust off with compressed air.

Conditions for safe storage, including any incompatibilities: Store in closed container in a dry area. Do not store in open, inadequate or mislabeled packaging.

Section 8. Exposure Controls / Personal Protection
--

Control parameters/ Occupational Exposure Limits (OILS)

Exposure Limits: Soluble Molybdenum. 5 mg/m³ OSHA TWA; 5 mg/m³ ACGIH TWA; 5 mg/m³ DFG MAK TWA (total dust). 50 mg/m³ DFG MAK 30 minimum peak, average value, 1 time/shift.

Exposure Controls: Sodium Molybdate is not classified as a hazardous substance. High airborne dust concentrations require mechanical ventilation or a respirator mask.

Engineering Controls: Use appropriate engineering controls to minimize exposure to dust generated via routine use. Maintain adequate ventilation of workplace and storage areas.

Personal Protective Equipment

Skin: Wear protective clothing when handling this product to prevent prolonged skin contact.

Eyes and face: Wear safety glasses with side shields or goggles when handling this material.

Respiratory: Avoid breathing dust or mist. Use NIOSH approved respiratory protection equipment when air borne exposure is excessive.

Hygienic Practices: Facilities storing or using this material should be equipped with emergency eyewash, and a safety shower.

PNECs and DNELs

Exposure Pattern	Route	Descriptor	DNEL/PNEC
Long-term - systemic effects	Inhalation	DNEL (Derived No Effect Level)	11.17 mg Mo/m ³ Corresponding to 28 mg Na ₂ MoO ₄ · 2 H ₂ O/m ³
Long-term - chronic effects	Freshwater	PNEC (Predicted No Effect Concentration)	12.7 mg Mo/L, equivalent to 32.0 mg Na ₂ MoO ₄ · 2 H ₂ O/L
Long-term - chronic effects	Marine	PNEC (Predicted No Effect Concentration)	1.9 mg Mo/L, equivalent to 4.8 mg Na ₂ MoO ₄ · 2 H ₂ O/L



Long-term - chronic effects	Freshwater sediment	PNEC (Predicted No Effect Concentration)	22.6 g Mo/kg dw, equivalent to 57.0 g Na ₂ MoO ₄ · 2 H ₂ O/kg dw
Long-term - chronic effects	Marine sediment	PNEC (Predicted No Effect Concentration)	1.98 g Mo/kg dw, equivalent to 4.99 g Na ₂ MoO ₄ · 2 H ₂ O/kg dw
Long-term - chronic effects	Soil	PNEC (Predicted No Effect Concentration)	11.8-188 mg Mo/kg dw, equivalent to 29.8 - 474 mg Na ₂ MoO ₄ · 2 H ₂ O/ kg dw (dependent upon soil type)
Long-term - chronic effects	STP	PNEC (Predicted No Effect Concentration)	21.7 mg Mo/L, equivalent to 54.7 mg Na ₂ MoO ₄ · 2 H ₂ O/L

Exposure controls: This substance is not classified as a hazardous substance and no substance-specific toxicological or ecotoxicological hazards are expected. Nevertheless, in some circumstances high airborne dust concentrations may require local or general ventilation to control worker exposure in general. Where ventilation is unable to control the workplace dust levels to below the OEL, then respirator controls must be used. However, no exposure controls specific to this substance are required, other than good hygiene practice and adherence to national and regional provisions with regards to exposure to dusts in the workplace. National, regional or local provisions or limit values may also apply for emissions to air or water.

Section 9. Physical and Chemical Properties

Appearance/Color: Solid, crystalline, colorless to white, odorless, inorganic.

Odor: Odorless.

Odor threshold: Not applicable as odorless.

pH (neat): 7.0 - 10.0

Melting point: Sodium Molybdate Dihydrate decomposes at ca. 100°C (loss of water of crystallization). For the anhydrous, a melting point of 687°C has been reported.

Boiling point and Range: Not available.

Flash point: Not applicable as only relevant for liquids or low melting point solids.

Evaporation rate: Negligible at ambient temperatures.

Flammability (solid, gas): Not flammable.

Upper/lower flammability or explosive limits: Not explosive.

Vapor pressure: Low to negligible.

Vapor density: Not applicable (there are no Sodium Molybdate vapors).

Relative density: 2.59 at 20°C.

Solubility: 654 g/L in water at 20°C.

Partition coefficient n-octanol/water: Not applicable for inorganic substances.

Auto-ignition temperature: Not applicable (Sodium Molybdate is not combustible/flammable and thus does not auto-ignite).



Decomposition temperature: Sodium Molybdate Dihydrate decomposes at ca. 100°C (loss of water of crystallization, formation of Anhydrous Sodium Molybdate).

Viscosity: Not applicable. (Solid).

Explosive properties: Non explosive.

Oxidizing properties: Not oxidizing. Read-across from study with pure molybdenum trioxide (MoO₃), which also contains molybdenum in its highest oxidation state (+VI).

Section 10. Stability and Reactivity

Reactivity: Stable under ambient temperatures and pressures.

Chemical stability: Stable under ambient temperatures and pressures.

Possibility of hazardous reactions: Molybdates react violently or explosively when reduced to molybdenum by heating with zirconium. Furthermore, in the preparation of dyestuffs from aniline, nitrobenzene (as oxidant), hydrochloric acid and sodium hydroxide, ferric chloride is often used as catalyst, but Sodium Molybdate was substituted as a more effective catalyst. The materials were charged into a 4.5 m³ reactor and heating was started after addition of nitrobenzene, but the temperature controller was mis-set, and overheating at a high rate ensued. The exothermic reaction was much higher than normal because of the more effective catalyst, and partial failure of the cooling water led to an uncontrollable exothermic reaction. Other hazardous reactions have not been identified.

Conditions to avoid: Avoid exposure to extreme temperatures, contact with incompatible chemicals, uncontrolled contact with accelerants. Sodium Molybdate will explode on contact with molten magnesium.

Incompatible materials: It is incompatible with oxidizing agents and alkali metals. Sodium Molybdate will violently react with interhalogens (e.g., bromine pentafluoride; chlorine trifluoride).

Hazardous decomposition products: No hazardous decomposition products have been identified.

Section 11. Toxicological Information

Information on toxicological effects

Toxicity Endpoints	Description of Effects
Toxicokinetics: Absorption, Distribution, Metabolism and Excretion:	Molybdenum is an essential element. Uptaken Sodium Molybdate dissolves and exists predominantly in the form of the molybdate ion (MoO ₄ ²⁻). Oral absorption: Rapid and almost complete absorption through GI tract. Inhalation absorption: Well absorbed based on animal data. Absorption in humans dependent on particle size, deposition/clearance. Dermal absorption: Low to negligible. Metabolism: No metabolism. Molybdenum compounds transform quickly to molybdate anions (MoO ₄ ²⁻) upon dissolution. Excretion: Rapidly eliminated



	from plasma predominantly via renal excretion (>80%), and faeces (<10%).
Acute toxicity:	Low acute toxicity LD50, oral, rat: between 2733 and 6556 mg/kg bw (male/female). LD50, dermal, rat: > 2000 mg/kg bw (male/female). LD50, inhalation, rat (4h): > 1.93 mg/L (male/female).
Skin corrosion/irritation:	Not irritating / not corrosive to the skin.
Serious eye damage/irritation:	Not irritant / not corrosive to the eyes.
Respiratory or skin sensitization:	Sodium Molybdate is not sensitizing to the skin. There is no data indicating respiratory sensitization.
Germ-cell mutagenicity:	Not a germ cell mutagen. Negative test results three tests with Sodium Molybdate for: Bacterial reverse mutation assay, in vitro micronucleus assay in human lymphocytes, and in vitro gene mutation assay (tk) in mouse lymphoma cells. Change inhibition capacity - Escherichia coli 16 mmol/L; sex chromosome Loss and non -disjunction - Saccharomyces cerevisiae 80 mmol/L.
Carcinogenicity:	Not a carcinogen. (Read-across for absence of systemic carcinogenicity, based on chronic toxicity and carcinogenicity studies with molybdenum trioxide. Local effects in the lung observed in these molybdenum trioxide studies are specific to molybdenum trioxide and not read-across to Sodium Molybdate).
Reproductive toxicity:	There are currently no reliable scientific data available indicating adverse effects on human reproduction or fertility. 16474 ug/kg intratesticular - mouse TDLo 1 day male.
STOT-single exposure:	There are no specific target organ effects after single exposure to Sodium Molybdate.
STOT-repeated exposure:	No reliable scientific data available indicating adverse systemic effects after repeated exposure to molybdenum substances.
Aspiration hazard:	Not applicable (not an aerosol/mist).

Section 12. Ecological Information

Toxicity: Reliable acute aquatic toxicity test results (tests conducted with Sodium Molybdate; UV-spectra of aqueous solutions of Sodium Molybdate Dihydrate demonstrated that the only dissolved molybdenum species, originating directly from Sodium Molybdate Dihydrate is Molybdate); critical



values for classification are also expressed as mg Na₂MoO₄·2H₂O)

Test Organisms	End-point	Range of values
Freshwater fish: Pimephales promelas	96h-LC50	609 - 681.4 mg Mo/L (1,536-1,718 mg Na ₂ MoO ₄ ·2H ₂ O/L)
Freshwater fish: Oncorhynchus mykiss	96h-LC50	7600 mg Mo/L
Freshwater fish: Oncorhynchus mykiss	96h-LC50	781 - 1339 mg Mo/L (recalculated - logistic fit)
Invertebrates: Daphnia magna	48h-LC50	1680.4 - 1776.6 mg Mo/L
Invertebrates: Daphnia magna	48h-LC50	2729.4 mg Mo/L
Invertebrates: Daphnia magna	48h-LC50	2847.5 mg Mo/L
Invertebrates: Daphnia magna	48h-LC50	130.9 mg Mo/L (330.1 mg Na ₂ MoO ₄ ·2H ₂ O/L)
Invertebrates: Ceriodaphnia dubia	48h-LC50	1005.5 - 1024.6 mg Mo/L
Invertebrate (aq. worm): Girardia dorotocephala	96h-LC50	1226 mg Mo/L
Algae: Pseudokirchneriella subcapitata	72h-ErC50 (growth rate)	295.0 - 390.9 mg Mo/L 289.2 - 369.6 mg Mo/L Geom. mean: 333.1 mg Mo/L (840 mg Na ₂ MoO ₄ ·2H ₂ O/L)

Tests were conducted according to international test guidelines (e.g., OECD) or scientifically acceptable methods.

Reliable chronic toxicity test results (read-across from tests with Sodium Molybdate; UV-spectra of aqueous solutions of Sodium Molybdate Dihydrate demonstrated that the only dissolved molybdenum species, originating directly from Sodium Molybdate Dihydrate is Molybdate)

Test organisms	Range of values (EC10 or NOEC)
Oncorhynchus mykiss, Pimephales promelas, Pseudokirchneriella subcapitata, Ceriodaphnia dubia, Daphnia magna, Chironomus riparius, Brachionus calyciflorus, Lymnaea stagnalis, Xenopus laevis, Lemna minor	43.3-241.5 mg Mo/L
Mytilus edulis, Acartia tonsa, Phaeodactylus tricorutum, Cyprinodon variegatus, Americamysis bahia, Crassostrea gigas, Dendraster excentricus, Dunaliella tertiolecta, Ceramium tenuicorne, Strongylocentrotus purpuratus	4.4-1,174 mg Mo/L



Annelid worms: Enchytraeus crypticus, Eisenia andrei	7.88-1661 mg Mo/kg dw (n=11)
Arthropod: Folsomia candida	37.9- >3,395 mg Mo/kg dw
Plants: Hordeum vulgare, Brassica napus, Trifolium pratense, Lolium perenne, Lycopersicon esculentum	4-3,476 mg Mo/kg dw
Soil micro-organisms (nitrification, glucose-induced respiration, plant residue mineralization)	10-3,840 mg Mo/kg dw

Tests were conducted according to international test guidelines (e.g., OECD, ASTM, ISO, EPA). Toxicity data for micro-organisms (for STP) (values were determined using molybdenum trioxide unless indicated otherwise; UV-spectra of aqueous solutions of molybdenum trioxide demonstrated that the only dissolved molybdenum species, originating directly from molybdenum trioxide is also the molybdate anion)

Test Organisms	End-point	Range of values
Domestic activated sludge population	3h-EC50 (respiration inhibition)	1,926 mg Mo/L
Domestic activated sludge population	3h-EC50 (respiration inhibition)	216.5 mg Mo/L
Domestic activated sludge population	30 min-NOEC (O2 utilization)	> 950 mg Mo/L (1)

Test conducted with Sodium Molybdate. Tests were conducted according to international accepted test guidelines or scientifically acceptable methods.

Conclusion on the environmental classification and labelling: Sodium Molybdate Dihydrate is not hazardous to the aquatic environment as: The lowest acute reference values for fish, invertebrates and algae are > 100 mg Mo/L. The lowest aquatic NOEC for these three trophic levels is > 1 mg Mo/L (i.e., 43. 2 mg Mo/L for the rainbow trout). There is no evidence for bioaccumulation or biomagnification in the environment.

Persistence and degradability: Sodium Molybdate - when released into the environment - will rapidly dissolve and will be present as the molybdate species under normal environmental conditions.

Bioaccumulative potential: Available BCF/BAF data for the aquatic environment show a distinct inverse relationship with the exposure concentration. This finding demonstrates that molybdenum is homeostatically controlled by these organisms, and this up to the milligram range of exposure. Available information on transfer of molybdenum through the food chain indicates that molybdenum does not biomagnify in aquatic food chains. Although not homeostatically controlled in terrestrial plants and invertebrates, molybdenum is not largely concentrated from soil into plants, or soil to invertebrates. There is no significant concentration increase from diet to mammals or birds. It is concluded that biomagnification is not significant in the terrestrial foodchain.

Mobility in soil: Molybdate originating from sodium molybdate dihydrate is soluble in water and with its relatively low Kd value, the molybdate ions are leachable through normal soil and are mobile



in sediment. Typical log Kd-values of 3.25 and 2.94 have been determined for sediment and soil, respectively.

Results of PBT and vPvB assessment: The PBT and vPvB criteria of Annex XIII to the REACH Regulation do not apply to inorganic substances, such as Sodium Molybdate. Therefore a PBT and vPvB assessment is not required.

Other adverse effects: Molybdate originating from Sodium Molybdate Dihydrate can contribute to the onset of molybdenosis (which is a molybdenum-induced copper deficiency) in ruminants such as cattle, deer, and sheep. The level and bio-availability of copper in the animal diet are critical factors in the onset of molybdenosis. The recommended minimum dietary Cu:Mo mass ratio threshold to prevent molybdenosis is 1.30, i.e. there should be 30% more copper than molybdenum in the (note: mass ratio, not molar ratio). Cu & Mo content in the diet can be monitored, and if the ratio is < 1.3 then provide Cu supplements such as copper sulfate enriched feeds or copper sulfate enriched salt blocks for ruminants to use ad libitum. If there are ruminants in the vicinity of the plant, identify direct and diffuse air emission sources at the plant and carry out and record emission minimization measures. Have an animal health check program in place (e.g. blood tests for copper) to verify that the measures are effective. Sodium Molybdate Dihydrate is not expected to contribute to ozone depletion, ozone formation, global warming or acidification.

Section 13. Disposal Considerations

Waste Treatment Methods: Dispose of product and contaminated packaging in accordance with all local, state, and federal environmental control regulations.

Section 14. Transport Information

Shipping Name: Not D.O.T regulated.
Hazard Class: Not Dangerous for Transport.
UN Number: None.

ADR: None
RID: None
IMDG: None
IATA: None

UN number: Not dangerous for transport.
UN proper shipping name: Not dangerous for transport.
Transport hazard class(es): Not dangerous for transport.
Packing group: Not dangerous for transport.
Environmental hazards: Not dangerous for transport.
Special precautions for user: Not dangerous for transport.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not dangerous for transport.



Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations: TSCA Inventory Status: All components listed on the TSCA inventory.

TSCA 12b Export Notification: Not listed.

EINECS listed: 231-551-7

CERCLA Section 103: No

SARA TITLE III (EPCRA) Section 302/304: Not Listed.

SARA TITLE III (EPCRA) Section 311/312: Not Listed.

California Proposition 65: Not listed.

OSHA process Safety (29CFR1910.119): Not listed.

WHMIS: Non-controllable

Worldwide Chemical Inventories

Sodium Molybdate is listed in following international chemical inventories (Source: database CHEMLIST)

For CAS 10102-40-6 (Sodium Molybdate Dihydrate): EU/REACH list of pre-registered substances; AICS - Australian Inventory of Chemical Substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; ASIA-PAC; NZIoC: New Zealand Inventory of Chemicals. This substance has HSNO approval.

For CAS 7631-95-0 (Sodium Molybdate): EU/REACH list of pre-registered substances; EU EINECS (European Inventory of Existing Chemical Substances); AICS - Australian Inventory of Chemical Substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; ASIA-PAC; NZIoC: New Zealand Inventory of Chemicals. This substance has HSNO approval. DSL, Canada: Domestic Substances List; ENCS, Japan: Existing Notified Chemical Substances; ECL, Korean Existing Chemicals List; Sodium Molybdate is not a SEVESO substance, not an ozone-depleting substance and not a persistent organic pollutant.

Other regulatory information

Germany: Water Hazard class, WGK = 1 (low hazard to water)

Chemical safety assessment: A Chemical Safety Assessment has been carried out by the Molybdenum Consortium for its members for the purpose of GHS Compliance and REACH registration.

HMIS

Health: 1

Flammability: 0

Physical Hazard: 0

Personal Protection: D

NFPA

Health: 1

Flammability: 0

Reactivity: 0



Section 16. Other Information

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

REVISION DATE: 11/16/2017

SAFETY DATA SHEET

Date Accessed: 10/15/2024

Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Name: Vanadium(III) Chloride

Product Number: All applicable American Elements product codes, e.g. V3-CL-02 , V3-CL-03 , V3-CL-04 , V3-CL-05

CAS #: 7718-98-1

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements
10884 Weyburn Ave.
Los Angeles, CA 90024
Tel: +1 310-208-0551
Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1

H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms



GHS05 GHS07

Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT:

N/A

vPvB:

N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7718-98-1 Vanadium(III) chloride

Identification number(s):

EC number:

231-744-6

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.
If swallowed:
Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed
Causes severe skin burns.
Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed
No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media
Suitable extinguishing agents
Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen chloride (HCl)
Vanadium oxides
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions:
Do not allow product to enter drains, sewage systems, or other water courses.
Methods and materials for containment and cleanup:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards:
No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store in the dark.

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Protect from exposure to light.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

No data available

Eye protection:

Tightly sealed goggles
Full face protection
Body protection:
Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline

Color: Pink to purple

Odor: Acrid

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 3 g/cm³ (25.035 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H₂O): Hydrolyzes

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents
Conditions to avoid
No data available
Incompatible materials:
Water/moisture
Oxidizing agents
Light
Hazardous decomposition products:
Hydrogen chloride (HCl)
Vanadium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Harmful if swallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 350 mg/kg (rat)

Skin irritation or corrosion:

Causes severe skin burns.

Eye irritation or corrosion:

Causes serious eye damage.

Sensitization:

No sensitizing effects known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available
Persistence and degradability
No data available
Bioaccumulative potential
No data available
Mobility in soil
No data available
Additional ecological information:
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT:
N/A
vPvB:
N/A
Other adverse effects
No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods
Recommendation
Consult official regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation:
Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number
DOT, IMDG, IATA
UN2475
UN proper shipping name
DOT
Vanadium trichloride
IMDG, IATA
VANADIUM TRICHLORIDE
Transport hazard class(es)
DOT
Class
8 Corrosive substances.
Label
8
Class
8 (C2) Corrosive substances
Label
8
IMDG, IATA
Class
8 Corrosive substances.
Label
8

Packing group
DOT, IMDG, IATA
III
Environmental hazards:
N/A
Special precautions for user
Warning: Corrosive substances
EMS Number: F-A,S-B
Segregation groups
Acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
N/A
Transport/Additional information:
DOT
Marine Pollutant (DOT):
No
UN "Model Regulation":
UN2475, Vanadium trichloride, 8, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS GHS label elements, including precautionary statements
Hazard pictograms
GHS05
GHS07
Signal word
Danger
Hazard statements
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P260
Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P405
Store locked up.
P501
Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).
SARA Section 313 (specific toxic chemical listings)
7718-98-1 Vanadium(III) chloride
California Proposition 65
Prop 65 - Chemicals known to cause cancer
Substance is not listed.
Prop 65 - Developmental toxicity

Substance is not listed.
Prop 65 - Developmental toxicity, female
Substance is not listed.
Prop 65 - Developmental toxicity, male
Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use)
Substance is not listed.
Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.



SAFETY DATA SHEET

Preparation Date: 6/23/2017

Revision Date: 6/23/2017

Revision Number: G1

1. IDENTIFICATION

Product identifier

Product code: Z1052
Product Name: ZINC CITRATE, DIHYDRATE, REAGENT

Other means of identification

Synonyms: Citric acid zinc salt dihydrate
CAS #: 5990-32-9
RTECS # Not available
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000.

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300

Contact Person: Martin LaBenz (West Coast)

Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product code: Z1052

Product name: ZINC CITRATE,
DIHYDRATE, REAGENT

1 / 10

Components	CAS-No.	Weight %
Zinc Citrate, Dihydrate	5990-32-9	100

4. FIRST AID MEASURES

First aid measures

- General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. Consult a physician if necessary.
- Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.
- Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. In case of shortness of breath, give oxygen. Get medical attention. If not breathing, give artificial respiration.
- Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

- Symptoms** May cause eye irritation. May cause skin irritation. May cause irritation of respiratory tract. May cause digestive (gastrointestinal) tract irritation.

Indication of any immediate medical attention and special treatment needed

- Notes to Physician:** Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide (CO₂). Dry chemical. Water spray mist or foam. Water spray. Foam.

Unsuitable Extinguishing Media: No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products: Carbon Dioxide, Carbon Monoxide. Zinc oxides.

Specific hazards: May be combustible at high temperatures.

Special Protective Actions for Firefighters

Specific Methods: No information available.

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Remove all sources of ignition. Avoid breathing dust.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and material for containment and cleaning up

Methods for containment Cover with plastic sheet to prevent spreading. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Avoid dust formation. All equipment used when handling the product must be grounded. Keep away from incompatible materials.

Safe Handling Advice

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not ingest. Do not breathe dust. Keep away from heat and sources of ignition. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials. Keep away from heat and sources of ignition.

Incompatible Materials:

Oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Components	CAS-No.	OSHA	NIOSH	ACGIH	AIHA WHEEL
Zinc Citrate, Dihydrate	5990-32-9	None	None	None	None

Canada

Components	CAS-No.	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Zinc Citrate, Dihydrate	5990-32-9	None	None	None	None

Australia and Mexico

Components	CAS-No.	Australia	Mexico
------------	---------	-----------	--------

Product code: Z1052

Product name: ZINC CITRATE,
DIHYDRATE, REAGENT

3 / 10

Zinc Citrate, Dihydrate	5990-32-9	None	None
-------------------------	-----------	------	------

Appropriate engineering controls

Engineering measures to reduce exposure: Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Safety glasses with side-shields or Goggles

Skin and body protection: Long sleeved clothing
Chemical resistant apron
Gloves

Respiratory protection: Effective dust mask. Use a dust respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentration of dust (dust clouds) , inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Solid	Appearance: Powder.	Color: White.
Odor: Odorless.	Taste No information available.	Formula: C12H10O14Zn3.2H2O
Molecular/Formula weight: 610.35	Flammability: No information available	Flashpoint (°C/°F): No information available.
Flash Point Tested according to: Not available	Autoignition Temperature (°C/°F): No information available	Lower Explosion Limit (%): No information available
Upper Explosion Limit (%): No information available	Melting point/range(°C/°F): 334 °C/633.2 °F	Decomposition temperature(°C/°F): No information available
Boiling point/range(°C/°F): No information available	Bulk density: No information available	Density (g/cm3): No information available
Specific gravity: No information available	pH: No information available	Vapor pressure @ 20°C (kPa): No information available
Evaporation rate: No information available	Vapor density: No information available	VOC content (g/L): No information available
Odor threshold (ppm):	Partition coefficient	

No information available

(n-octanol/water):
No information available

Viscosity:
No information available

Miscibility:
No information available

Solubility:
No information available

10. STABILITY AND REACTIVITY

Reactivity
No information available

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Avoid dust formation. Incompatible materials.

Incompatible Materials: Oxidizing agents

Hazardous decomposition products: Carbon monoxide. Carbon dioxide. Zinc oxides.

Other Information
Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Ingestion. Inhalation.

Acute Toxicity

Component Information

Zinc Citrate, Dihydrate
CAS-No. 5990-32-9

LD50/oral/rat = No information available
LD50/oral/mouse = No information available
LD50/dermal/rabbit = No information available
LD50/dermal/rat = No information available
LC50/inhalation/rat = No information available
LC50/inhalation/mouse = No information available
Other LD50 or LC50 information = No information available

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =

Product code: Z1052

Product name: ZINC CITRATE,
DIHYDRATE, REAGENT

Value - Acute Tox Oral = 1290 mg/kg

LD50/dermal/rabbit

VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat

VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat

VALUE-Vapor = No information available

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Inhalation May cause respiratory tract irritation.

Ingestion Health injuries are not known or expected under normal use. May cause digestive (gastrointestinal) tract irritation.

Aspiration hazard No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available.

Sensitization: No information available.

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic.

Components	CAS-No.	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Zinc Citrate, Dihydrate	5990-32-9	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available.
STOT - repeated exposure No information available.
Target Organs: No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects: No data available.
Persistence and degradability: No information available
Bioaccumulative potential: No information available.
Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Components	CAS-No.	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Zinc Citrate, Dihydrate	5990-32-9	None	None	None	None

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Class: No information available
Packing group: No information available
Emergency Response Guide Number: No information available
Marine Pollutant: No data available
DOT RQ (lbs): No information available
Special Provisions: No Information available
Symbol(s): No information available
Description: No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Marine Pollutant: No Information available

Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Marine Pollutant: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
ERG Code: No information available
Special Provisions: No information available

15. REGULATORY INFORMATION

International Inventories

Components	CAS-No.	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	CHINA	Australia (AICS)	EINECS-No.
Zinc Citrate, Dihydrate	5990-32-9	Not Listed	Not present	Not present	Not present	Not present	Not present	Not present

U.S. Regulations

Zinc Citrate, Dihydrate

New Jersey RTK Hazardous Substance List: Present (listed as Zinc compounds)

California Directors List of Hazardous Substances: Present (listed as Zinc compounds)

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Product code: Z1052

Product name: ZINC CITRATE,
DIHYDRATE, REAGENT

8 / 10

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Components	CAS-No.	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Zinc Citrate, Dihydrate	5990-32-9	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Components	CAS-No.	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Zinc Citrate, Dihydrate	5990-32-9	None	None	None	Zinc compounds	1.0%

U.S. TSCA

Components	CAS-No.	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
Zinc Citrate, Dihydrate	5990-32-9	Not Applicable	Not Applicable

Canada**WHMIS 2015 - GHS Classifications**

WHMIS 2015 Hazard Classification Information: Not a dangerous product according to HPR classification criteria.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

WHMIS 1988 Hazard Class

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Components	CAS-No.	Canada (DSL)	Canada (NDSL)
Zinc Citrate, Dihydrate	5990-32-9	Not Listed	Not Listed

Components	CAS-No.	CEPA Schedule I - Toxic Substances
Zinc Citrate, Dihydrate	5990-32-9	Not listed
Components	CAS-No.	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Zinc Citrate, Dihydrate	5990-32-9	Not listed

EU Classification**EU GHS - SV - CLP 172/2008**

Components	CAS-No.	EU GHS - SV - CLP (172/2008)
Zinc Citrate, Dihydrate	5990-32-9	

EU - CLP (1272/2008)

Product code: Z1052

Product name: ZINC CITRATE,
DIHYDRATE, REAGENT

9 / 10

R-phrase(s)

not determined (not applicable)

S -phrase(s)

none

Components	CAS-No.	Classification	Concentration Limits:	Safety Phrases
Zinc Citrate, Dihydrate	5990-32-9		No information	

The product is classified in accordance with Annex VI to Directive 67/548/EEC**Indication of danger:**

Not dangerous

16. OTHER INFORMATION

Preparation Date: 6/23/2017
Revision Date: 6/23/2017
Prepared by: Sonia Owen

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet

1 CITY OF NORTH SALT LAKE
2 PLANNING COMMISSION MEETING
3 ANCHOR LOCATION: CITY HALL
4 10 EAST CENTER STREET, NORTH SALT LAKE
5 OCTOBER 8, 2024

6
7 **DRAFT**
8

9 Commission Chair Larson called the meeting to order at 6:30 p.m.

10
11 PRESENT: Commission Chair BreAnna Larson
12 Commissioner Ryan Holbrook
13 Commissioner Ron Jorgensen via Zoom
14 Commissioner Johnathan Marsh
15 Commissioner Irene Stone
16 Commissioner Brandon Tucker
17

18 EXCUSED: Commissioner William Ward
19

20 STAFF PRESENT: Sherrie Pace, Community Development Director; Mackenzie Johnson,
21 Planner; Caden Baines, Planning Intern.
22

23 OTHERS PRESENT: Dee Lalliss, resident; Brian Carlisle, Lofts at North Salt Lake.
24

25 1. PUBLIC COMMENTS
26

27 There were no public comments.
28

29 2. CONSIDERATION OF SITE PLAN APPROVAL FOR THE LOFTS NORTH SALT
30 LAKE AT 120 AND 140 EAST CENTER STREET, BRIAN CARLISLE, APPLICANT
31

32 Sherrie Pace reported on Lofts North Salt Lake located at 120 and 140 East Center Street. She
33 presented the site plan as part of the General Development Plan. She explained that on
34 November 28, 2023 the amended General Development Plan was recommended for denial by the
35 Planning Commission to the City Council. She said the City Council approved the amended
36 General Development Plan on December 6, 2023 with the conditions:
37

38 The Development Agreement be modified with the following terms for the developer:
39

- 40 1) Tenants of the one-bedroom units shall be limited by lease agreement to a single vehicle;
41
42 2) Each unit will have at minimum 1 covered stall assigned to the unit and be included in
43 monthly lease without additional charge;

- 44 3) Parking for the commercial area shall be provided at a rate of 1 space/250 sq. ft. and shall be
45 open for tenant and guest use, including the Towne Plaza residents, during non-business hours;
46
- 47 4) The cross section for Center Street be modified so as to provide the bike lane behind the curb
48 as shown on the proposed site plan;
49
- 50 5) Off street loading areas for deliveries and tenant moving, be provided for both buildings;
51
- 52 6) The amenities shown on the plan shall be provided including the roof top gathering area, on
53 site fitness center, fenced dog park, outdoor patio for commercial restaurant use (if applicable) or
54 for other tenant use;
55
- 56 7) All landscaping shall be installed in accordance with Chapter 22, Water Efficient Landscaping
57 Standards;
58
- 59 8) The ground floor story of the west building shall be stepped across the slope so that individual
60 units maintain pedestrian access at the same elevation of the sidewalk as shown on the
61 architectural renderings;
62
- 63 9) The architecture of the buildings shall be provided in the style, materials and colors as shown
64 on the architectural renderings, with a maximum height of 50 feet measured from final grade;
65
- 66 10) The street trees along 130 East will be replaced and the landscape water shall be
67 repaired/installed by the developer to the street trees and street lights for the provision of hanging
68 baskets, such water connection shall be made to the HOA common area landscape system and
69 landscape system for the new landscaping.

70

71 The Development Agreement be modified with the following terms for the City:

72

- 73 1) The City will restrict Center Street parking in front of the west building to a maximum 2 hour
74 limit and 15-30 minute loading zone in front of the east building;
75
- 76 2) The City will monitor and consider future modifications in relation to parking management of
77 130 East including but not limited to: limiting parking to one side of the street, widening, one-
78 way traffic, time limitations, parking meters, or other measures that may be recommended by the
79 City's safety committee, City Engineer, or a City hired traffic consultant.

80

81 Sherrie Pace shared the building elevations and noted the following amenities for the
82 development with the proposed locations:

83

- 84 • fenced dog park area (west)
- 85 • outdoor seating for commercial use

- 86 • public sidewalk improvements (planter boxes w/seating, widened sidewalks, street trees,
87 lamp posts, bike lane behind curb)
- 88 • leasing office, mail/package delivery room, conference room, lobby activity room, dog
89 wash (east building main floor)
- 90 • fitness center, sauna and steam room (east building second floor)
- 91 • rooftop gathering space, pergola, seating (east building third floor)

92

93 Ms. Pace then reviewed the floorplans for both buildings including the one and two bedroom
94 units. She specified that the west building contained 7,688 square feet of commercial with 22
95 residential units and the east building contained 57 residential units for a total of 60 one bedroom
96 and 19 two bedroom units. She added that the provided parking would be 150 spaces or 1.59
97 spaces per unit in the west building and 1.47 spaces per unit for the east building. She noted that
98 due to the size and scope of this project, the site plan would need final approval from the City
99 Council who would also approve the final draft of the Development Agreement.

100

101 Sherrie Pace commented that the Development Review Committee (DRC) recommended
102 approval of the site plan for Lofts North Salt Lake with the following conditions:

103

- 104 1. The carport structures are noted on the site plan, per the General Development Plan;
- 105
- 106 2. Identification of the water valve located adjacent to east building and possible relocation if
107 necessary, per City Engineer;
- 108
- 109 3. Approved Development Agreement will include the conditions per the approved General
110 Development Plan and the approved site plan.

111

112 Commissioner Holbrook questioned if the Development Agreement was still linked to the
113 existing townhomes. He mentioned the condition related to the landscaping for the townhomes.
114 Sherrie Pace replied that this would be an amendment to the Development Agreement and the
115 new developer would not be responsible for the townhomes. She explained the townhomes
116 would be subject to their Development Agreement including landscaping requirements.

117

118 Commissioner Stone asked about the enforcement of one car per one bedroom apartments.
119 Sherrie Pace responded that this would be part of the lease and would be enforced by the leasing
120 agent. She mentioned that there were 31 dedicated spaces for commercial parking which could
121 be utilized by residents during the evening/weekend hours and 13 guest spaces.

122

123 Commissioner Marsh asked for clarification on the number of units and changes that had been
124 made since the original proposal. Sherrie Pace said originally the developer had proposed five
125 story buildings with additional property and a requested rezone. She explained the number of

126 units was reduced several times from 92 to 79, the parking was increased from 142 to 150 stalls,
127 and the additional property was removed which eliminated the need for a rezone.

128

129 **Commissioner Holbrook moved that the Planning Commission recommend to the City**
130 **Council that the site plan for Lofts North Salt Lake be approved and incorporated into the**
131 **Development Agreement with the following findings and conditions:**

132

133 **Findings:**

134 **1) The proposed site plan in accordance with the North Salt Lake Town Center Master**
135 **Plan;**

136 **2) The proposed site plan be incorporated into the Development Agreement.**

137

138 **Conditions:**

139 **1) The carport structures are noted on the site plan, per the General Development**
140 **Plan;**

141 **2) Identification of water valve located adjacent to east building and possible**
142 **relocation if necessary, per City Engineer;**

143 **3) Approved Development Agreement will include the conditions per the approved**
144 **General Development Plan and the approved site plan.**

145

146 **Commissioner Marsh seconded the motion. The motion was approved by Commissioners**
147 **Holbrook, Jorgensen, Larson, Marsh, Stone, and Tucker. Commissioner Ward was excused.**

148

149 3. WORK SESSION

150 a. CONDITIONAL USE STANDARDS AND LAND USE TABLE

151

152 Sherrie Pace requested tabling this item until the next Planning Commission meeting.

153

154 4. REPORT ON CITY COUNCIL ACTIONS ON ITEMS RECOMMENDED BY
155 PLANNING COMMISSION

156

157 Sherrie Pace reported that on October 1st the City Council approved the amendment to the City
158 Code to allow accessory caretaker residences. She said the General Plan workshop was held on
159 October 7th. She added that residents from the east and town center areas were present and
160 provided feedback but staff did not see any residents representing the Foxboro area in
161 attendance. She shared the three visions including specific neighborhoods and their identities,
162 embrace the industrial zone, or greenspace and connecting natural trails throughout the
163 community. She explained that the consultant would take the public comments and create a
164 general recommendation to be incorporated into the General Plan.

165

166 Mackenzie Johnson commented that the boards sharing the three visions were available at City
167 Hall with a QR code to provide additional feedback.

168

169 Sherrie Pace reminded the Planning Commission that the APA conference would be held
170 Thursday and Friday for those registered. She mentioned the 2024 Wasatch Choice Workshop
171 had been rescheduled to Tuesday October 29th.

172

173 5. APPROVAL OF MINUTES

174

175 The Planning Commission meeting minutes of September 24, 2024 were reviewed and approved.

176

177 **Commissioner Jorgensen moved to approve the meeting minutes for the September 24,**
178 **2024 Planning Commission meeting as drafted. Commissioner Marsh seconded the motion.**
179 **The motion was approved by Commissioners Holbrook, Jorgensen, Larson, Marsh, Stone,**
180 **and Tucker. Commissioner Ward was excused.**

181

182 6. ADJOURN

183

184 Commission Chair Larson adjourned the meeting at 7:00 p.m.

185

186 *The foregoing was approved by the Planning Commission of the City of North Salt Lake on*
187 *Tuesday, October 22, 2024 by unanimous vote of all members present.*

188

189

190

191 _____
Wendy Page, City Recorder